

# Interventional Urology

Endourology - Men's Health - Women's Health - Surgery

---

Product Catalogue 2026



Altis®

Aris®

Bioflex®

Biosoft®

BoNee®

Cystodrain®

Dormia®

Elefant®

Folysil®

Genesis®

Imajin®

Kolibri®

K-Box®

N.stone®

Poseidon®

Pyelostent®

Restorelle®

ReTrace®

Rossello®

Soprano®

Stenostent®

Titan®

Virtue®

Vortek®

X-Flow®

# INTRODUCTION

## Coloplast History

Coloplast has a long history of providing quality, innovative products to support endourologists and their patients. Our story began in 1893 in Sarlat, France where Porges Laboratories specialized in the manufacturing of catheters and medical devices for urology. Today, the Coloplast endourology brand is recognized globally for delivering differentiated and clinically-focused disposable stone management products that help make life easier for people with intimate healthcare needs.

Our business includes Ostomy Care, Continence Care, Wound & Skin Care, Interventional Urology and Voice & Respiratory Care. We work closely with you to help patients who have intimate healthcare needs. We listen to your needs and respond with products that help make their lives easier.

Present throughout Europe, we are always by your side.

**Our customer service and sales representatives are available whenever you need them to help you find the right solutions to your specific requirements.**

Feel free to visit our website to discover all our solutions:

[www.coloplast.com](http://www.coloplast.com)



\* Paris Area :  
Le Plessis-Robinson (European Headquarter)  
Le Plessis-Pâté (Worldwide Warehouse)  
Fontenay-sous-Bois (French Sales & Marketing Subsidiary)



## Table of Contents

<b>Coloplast Professional</b>	<b>6</b>
<hr/>	
<b>Urology</b>	<b>9</b>
1. Endourology	10
2. Percutaneous access	46
3. Connectors and spigot	54
4. Lower urinary tract	56
<hr/>	
<b>Surgery</b>	<b>69</b>
1. Laparoscopic surgery	71
2. Surgical drainage	72
<hr/>	
<b>Men's Health</b>	<b>77</b>
1. Erectile Dysfunction	78
2. Male Urinary Incontinence	82
<hr/>	
<b>Women's Health</b>	<b>85</b>
1. Stress Urinary Incontinence (SUI)	86
2. Pelvic Organ Prolapse (POP)	88

# Coloplast Professional

## Sharing Our Expertise, Empowering Your Success\_

Our educational programs for doctors offer a structured learning path opportunity to enhance knowledge, skills, and continuous development. These programs range from continuing medical education training courses, e-learnings, and hands-on workshops to masterclasses. By joining our European urologist network, you will not only enhance your technical expertise but also play a major role in transforming patient care.

Explore the valuable benefits and opportunities these programs can offer to enhance your practice:

### Knowledge Enhancement

- **Up-to-date Information:**
  - Access the latest research, EAU Guidelines, advancements in endourology, and treatments for Men's and Women's Health.
- **Specialized Expertise:** Deepen your knowledge in:
  - Endourology, laser treatments for kidney stones, and BPH/soft tissue enucleation.
  - Erectile restoration/dysfunction, stress urinary incontinence, and pelvic organ prolapse.
- **Procedure-Specific Learning:**
  - Ureteroscopy: Removal of kidney stones and treatment of ureteral issues.
  - Percutaneous Nephrolithotomy (PCNL): Treatment for large kidney stones.
  - Endoscopic Tumor Resection: Management of bladder and upper tract urothelial cancer.
  - Minimally Invasive BPH Treatments: Techniques such as ThuLEP (Thulium Laser Enucleation of the Prostate).

### Skill Development

- **Clinical Skills:** Improve diagnostic, surgical, and therapeutic techniques.
- **Soft Skills:** Enhance communication, leadership, and teamwork abilities.
- **Technological Proficiency:** Master tools such as robotic surgery, telemedicine, or electronic health records.

### Improved Patient Outcomes

- **Evidence-Based Practice:** Apply the latest findings to provide high-quality care.
- **Holistic Approach:** Better understand patient needs through advanced diagnostics and treatments.
- **Reduced Errors:** Minimize mistakes with updated safety protocols.
- **Faster Recovery Times:** Leverage minimally invasive methods to reduce hospital stays, postoperative pain, and complications.
- **Precision Treatment:** Use endourology procedures for highly targeted interventions, minimizing risks to surrounding tissues.
- **Patient Satisfaction:** Achieve better outcomes, less scarring, and quicker recovery, enhancing patient trust and satisfaction.

## Networking Opportunities

- **Peer Collaboration:** Interact with other professionals to share knowledge and best practices.
- **Mentorship:** Learn from leading experts and mentors in the field.
- **Global Connections:** Join international conferences, research collaborations, and global medical forums.

## Research and Innovation Opportunities

- **Cutting-Edge Advancements:** Contribute to innovations in laser technology, imaging, and robotic-assisted surgeries.
- **Pioneering Research:** Help develop improved diagnostic methods, surgical techniques, and urological devices.
- **Teaching and Mentorship:** Train the next generation of urologists and endourologists.
- **Publication and Recognition:** Publish studies and share your expertise at international congresses.



# Urology - Kidney & Bladder Health



## Urology

<b>1 • Endourology</b>	<b>10</b>
1.1. Thulium Fiber Laser	10
1.2. Visualization	12
1.3. Stone extractors	16
1.4. Access sheaths	20
1.5. K-Box	21
1.6. Double loop ureteral stents	22
1.7. Single loop ureteral stents	37
1.8. Guidewires	38
1.9. Ureteral catheters	42
1.10. Ureteral dilators	45
<hr/>	
<b>2 • Percutaneous access</b>	<b>46</b>
2.1. Percutaneous nephrostomy set	46
2.2. Percutaneous nephrostomy accessories	47
2.3. Set with J catheter	50
2.4. Suprapubic drainage	51
2.5. Urinary Diversion	53
<hr/>	
<b>3 • Connectors and spigot</b>	<b>54</b>
3.1. Connectors and Spigot	54
<hr/>	
<b>4 • Lower urinary tract</b>	<b>56</b>
4.1. Prostatic catheters	56
4.2. Bladder evacuator	62
4.3. Bladder injection	63
4.4. Foley catheters	64
4.5. Catheters without balloon	66

# Coloplast TFL Drive

Power made Safer\*

## Laser System

Coloplast TFL Drive is a 60W laser system intended for multiple indications: Lithotripsy, BPH and Soft Tissue. It's the only TFL laser to have **safety monitoring thanks** to preset safety ranges and defined power limits. Intuitive Interface are designed by surgeon for surgeons and aiming to adapt power to the size of the fiber for specific clinical condition.

The Coloplast TFL Drive interface allows you to adapt energy, frequency and power values to the size of fiber used.

The **TFL technology** is the latest cutting-edge laser technology, bringing highly effective intra-operative performance. Finer and Faster dusting capabilities combined with less stone retropulsion of TFL allow decrease treatment time.

## Coloplast TFL Drive in Key Points

### All-in-one Solution

- Stone
- BPH
- Soft Tissue

### Intuitive Interface

- Defined aiming at optimizing the effectiveness

### Ergonomic design

- Easy transportability
- Limited footprint

### Efficiency

- Finer and faster dusting capabilities
- Less retropulsion
- High ablation speed

### More Focus

- Quiet System
- Noise level <70dBA

### Profesional education

- Support you to learn this technology with Europe's leading experts



## Technical Data

### Laser information

- Type TFL (Thulium Fiber Laser)
- Pulse energy 0.02 – 6 J
- Repetition rate 1 – 2500Hz
- Max. Power 60W (CW and pulse mode)
- Pulse Duration 50µs – CW

### Electrical Data

- Voltage 100-240 vac
- Frequency 50/60Hz
- Power Consumption 1000 VA

- Wavelength 1940nm ± 20nm
- Noise Level max. <70dBA
- Aiming Beam Green 532nm (adjustable) <5mW, class 3R

### Dimensions

- Size 470 (W) x 810 (D) x 1156 (H) mm  
470 (W) x 810 (D) x 940 (H) mm (display closed)
- Weight 100kg
- Cooling system Air cooling system

\* User interface designed with warning limits for safer use.

# 1 • ENDOUROLOGY


## 1.1. Thulium Fiber Laser

### Ordering Information

Order Ref.	Description
TFLD01	Coloplast TFL Drive Laser including: Coloplast TFL Drive Laser System - Pedal Double footswitch - Optical blast shield - Safety goggles (x2) - Power cord - User manual - Accessory case containing: Fiber stripper for optical fibers 300 to 1000µm, Fiber stripper for optical fibers 100 to 400µm, interlock connector, optical blast shield, and key for use with Coloplast TFL Drive.

### Fibers


TFL is suitable with use with the smallest fiber 150 µm, allowing to free up space inside the ureteroscope working channel to increase irrigation and thus visibility.



Fiber size	Order Ref.			Ordre Unit
	Single use	Reusable 5x	Reusable 10x	
150µm	FSI150			5 per box
200µm	FSI200	FSV200	FSX200	5 per box
272µm	FSI272	FSV272	FSX272	5 per box
272µm	FBI272 Ball tip			5 per box
365µm	FSI365	FSV365	FSX365	5 per box
550µm	FSI550	FSV550	FSX550	5 per box
800µm	FSI800	FSV800	FSX800	5 per box
1000µm	FSI000	FSV000	FSX000	5 per box


### Spare Parts

Order Ref.	Description
000PCPGL01	Laser protection goggles
000PCPCL01	Ceramic fiber cleaver with slipcase
000PCPIC01	Interlock connector
000PFS0104	Fiber Stripper 100 to 400µm
000PFS0310	Fiber Stripper 300 to 1000µm
000PCPDFS1	Pedal Double footswitch
000PCPOBS1	Optical Blast Shield
000PCPCASE	Accessories case
000PKEY001	Key
000PFLGCASE	TFL Flight case



# CoralView - Single-Use Digital Flexible Ureteroscope\*

- The CoralView is used by physicians to access, visualize and perform procedures in the urinary tract.
- Each unit is supplied with a Leak resistant and rotatable T-valve.
- 120° field of view, 3-50mm depth of view.
- Accurate color reproduction.
- Autohold technology self-locking lever.
- **Box of 5** • Sterile.




Order Ref.	Description	Distal end outer diameter	Nominal insertion tube outer diameter	Maximum insertion portion width	Deflection mode
000P1U10B	CoralView Ureteroscope – Standard	7.2 Ch/Fr	8.25 Ch/Fr	2.9 mm	Standard
000P1U10BR	CoralView Ureteroscope – Reverse	7.2 Ch/Fr	8.25 Ch/Fr	2.9 mm	Reverse
000P1U20B	CoralView Ureteroscope – Standard	6.7 Ch/Fr	7.5 Ch/Fr	2.7 mm	Standard
000P1U20BR	CoralView Ureteroscope – Reverse	6.7 Ch/Fr	7.5 Ch/Fr	2.7 mm	Reverse

\* For France, Italy, Portugal and Spain.

## Deflection


**Reverse deflection** *Moving the lever downward will make the tip bend down*



1 • ENDOUROLOGY  
1.2 Visualization

# BubbleView - Single-Use Digital Flexible Cystoscope\*


- The BubbleView is used by physicians to access, visualize and perform procedure in the bladder.
- Depth of view: 3mm - 100mm.
- Field of view: 140°.
- Digital scope, HD 920k pixels.
- **Box of 5** • Sterile.



Order Ref.	Description	Nominal Insertion tube outer diameter	Maximum insertion portion width	Working channel width	Deflection mode
000P1C50C	BubbleView Cystoscope – Standard	14.4 Ch/Fr	17.4 Ch/Fr	6.6 Ch/Fr	Standard
000P1C50CR	BubbleView Cystoscope – Reverse	14.4 Ch/Fr	17.4 Ch/Fr	6.6 Ch/Fr	Reverse

\* For France, Italy, Portugal and Spain.

**Standard deflection** *Moving the lever downward will make the tip bend up*




# ViewHub S13-T

## Video Processor\*

Compatible with both CoralView ureteroscope and BubbleView cystoscope, adapting to various scenarios in outpatient and operating rooms.

### Features


- 1920 x 1080 pixels.
- Snapshot.
- Image zooming.
- Video recording.
- Image freezing.
- Brightness control.
- White balance.



Order Ref.	Description
000P1S13T	ViewHub S13 - Video processor

\* For France, Italy, Portugal and Spain.

### Accessories



Order Ref.	Description
000P1BRACKET	Bracket to put screen on IV pole
000P1TROLLEY	Trolley without holder
000P1TROLLEYPLUS	Trolley with holder (removable part)



# Dormia® DualPerc

## A unique concept

Dormia® DualPerc offers dual functionality thanks to its quick and easy switch between flexible and rigid configurations.

When used with both configurations, the device is designed to remove stones through a unique percutaneous access, reducing multiple renal punctures and/or the need of additional devices.



### Rigid configuration

Working length: 35 cm




#### Nitinol basket

- Super elasticity and maximum shape memory
- 4 wires cage for capture and retrieval of stones of different sizes and volumes
- Tipless design for direct contact against tissues with minimal trauma
- Specific design for adapted opening in small cavities

#### Stainless-steel cannula

- Rounded distal tip for smoother contact with the tissue and instruments, designed to minimize trauma
- Radiopaque tube for accurate visualization under x-ray



#### Flexible mandrel

- Diameter of the sheath and mandrel permits full deflection of the flexible cystoscope during stone extraction
- Working length designed for optimal compatibility with flexible cystoscope


### Flexible configuration

Full length: 64 cm  
3 Ch/Fr flexible sheath

# 1 • ENDOUROLOGY

## 1.3. Stone extractors

Order Ref.	Description	Rigid Shaft Length	Rigid Shaft Diameter	Flexible Shaft Length	Flexible Shaft Diameter	Basket Diameter	Basket Length	Ordre Unit
EXP448	Dormia® DualPerc Stone Extractor 4.8 Ch/Fr	35cm	4.8 Ch/Fr	64cm	3 Ch/Fr	12.5mm	23mm	5 per box
EXP470	Dormia® DualPerc Stone Extractor 7 Ch/Fr	35cm	7 Ch/Fr	64cm	3 Ch/Fr	12.5mm	23mm	5 per box



### Silicone marker

- Moveable depth marker to indicate working position defined by the operator and provide visual aid throughout the procedure

### Safety screw

- Can be unscrewed from the handle and dismantled to manage basket retention

### Ergonomic handle


- Transform from rigid to flexible and vice versa
- Fatigue resistant material
- Allowing different handling possibilities during manipulation

## Dormia® No-Tip Nitinol • 4 twisted wires

- Individually packaged • Sterile • Detachable handle.

Order Ref.	Ch/Fr	Length	Basket size
EXN434	3	90cm	14mm

Designed for semi-rigid and rigid ureteroscopy.




## Nitinol • 4 round wires.

- Individually packaged • Sterile • Detachable handle.

Order Ref.	Ch/Fr	Length	Basket size
EXN734	2.2	120cm	11mm
EXN934	1.5	120cm	9mm

Designed for flexible, semi-rigid and rigid ureteroscopy.  
Supplied with a waterproof connector (Tuohy-Borst).



## Dormia® N.stone® Nitinol • 4 helical wires

- Individually packaged • Sterile • Detachable handle.

Order Ref.	Ch/Fr	Length	Basket size
EXT224	4	90cm	15mm
EXT424	3	90cm	15mm
EXT624	2.5	90cm	12.5mm



1 • ENDOUROLOGY  
1.3. Stone extractors

# Dormia® Front

## Nitinol • Frontal design

• Individually packaged • Sterile.

Order Ref.	Ch/Fr	Length	Basket size
DOG158	1,5	120cm	8mm
DOG151	1,5	120cm	11mm
DOG208	2	120cm	8mm
DOG201	2	120cm	11mm


2 basket sizes opening, 8mm and 11mm to treat multiple stone sizes and volumes

Reinforced tip with shrink tubing made of polyester to assure durability.

Large opening to the front as in the grasper



Secure wrapping like a basket



# ReTrace®

## Ureteral access sheaths


- Radiopaque ring.
- Hydro-coated reinforced sheath.
- Compatible with a 0.038" stiff guidewire.
- Individually packaged • Sterile.



**Single wire concept: the working guidewire turns into a safety wire.**

**Flexible tip concept: designed to respect the anatomy and prevent ureteral injuries.**

Order Ref.	Sheath inner diameter (Fr)	Sheath outer diameter (Fr)	Length (cm)
ASXL10	10	12	28
ACXL10	10	12	35
AXXL10	10	12	45
ALXL10	10	12	55
ASXL12	12	14	28
ACXL12	12	14	35
AXXL12	12	14	45
ALXL12	12	14	55



- Connector: ergonomic shape.

1 • ENDOUROLOGY  
1.5. K-Box

# K-Box®

## The training model

Unique 3D model for flexible ureteroscopy simulation and training.


It allows to learn:

- To manipulate the scope.
- To manipulate the scope with single use devices as baskets to catch and relocate stones.
- To perform step by step techniques.
- To use laser in the different settings.



Order Ref.

000PKBOX01





## Silicone double loop ureteral stents

The remarkable biocompatibility and flexibility of silicone makes it the material of choice for long-term implantation: improved patient comfort\* and less encrustation material compared to Polyurethane.

Duration of implantation: up to 12 months.



Kits with simple pusher

- **Kit composition:** each stent is supplied in a kit with a pusher (simple or steerable) and with or without a guidewire depending on the model.  
**Ø Guide:** 0.035".  
**Steerable pusher:** with or without radiopaque ring.
- **Box of 1** (with a guidewire) • Sterile.
- **Box of 5** (without a guidewire) • Sterile.



Kits with steerable pusher

Ch/Fr	Length	O/O	O/O					O/C		C/C	
		Fixed core guidewire	Fixed core guidewire	Movable core guidewire	Terumo guidewire	Poseidon® guidewire	Without guidewire	Fixed core guidewire	Movable core guidewire	Fixed core guidewire	
6	16cm	AJ4A61	AJ4261				AJ5061		AJ4861	AJ4761	AJ4161
	20cm		AJ4262	AJ4562	AJ42D2	AJ5062	AJ4C62				
	22cm	AJ4A67	AJ4267		AJ42D7		AJ4C67				
	24cm	AJ4A63	AJ4263	AJ4563	AJ42D3	AJ5063	AJ4C63	AJ4863	AJ4763	AJ4163	
	26cm	AJ4A64	AJ4264	AJ4564	AJ42D4	AJ5064	AJ4C64	AJ4864	AJ4764	AJ4164	
	28cm	AJ4A65	AJ4265	AJ4565	AJ42D5	AJ5065	AJ4C65	AJ4865	AJ4765	AJ4165	
	30cm		AJ4266		AJ42D6	AJ5066	AJ4C66				
7	16cm	AJ4A71	AJ4271				AJ5071		AJ4871		AJ4171
	20cm	AJ4A72	AJ4272		AJ42E2	AJ5072	AJ4C72				
	22cm	AJ4A77	AJ4277		AJ42E7		AJ4C77				
	24cm	AJ4A73	AJ4273	AJ4573	AJ42E3	AJ5073	AJ4C73	AJ4873	AJ4773	AJ4173	
	26cm	AJ4A74	AJ4274	AJ4574	AJ42E4	AJ5074	AJ4C74	AJ4874	AJ4774	AJ4174	
	28cm	AJ4A75	AJ4275	AJ4575	AJ42E5	AJ5075	AJ4C75	AJ4875	AJ4775	AJ4175	
	30cm	AJ4A76	AJ4276	AJ4576	AJ42E6	AJ5076	AJ4C76	AJ4876	AJ4776	AJ4176	
8	16cm		AJ4281				AJ5081				
	20cm		AJ4282				AJ5082				
	22cm	AJ4A87	AJ4287		AJ42F7		AJ4C87				
	24cm	AJ4A83	AJ4283		AJ42F3	AJ5083	AJ4C83				
	26cm	AJ4A84	AJ4284	AJ4584	AJ42F4	AJ5084	AJ4C84	AJ4884			
	28cm	AJ4A85	AJ4285	AJ4585	AJ42F5	AJ5085	AJ4C85	AJ4885			
	30cm		AJ4286	AJ4586	AJ42F6	AJ5086	AJ4C86				

\* Compared to Percuflex™ plus (Boston Scientific) stent.

# 1 • ENDOUROLOGY

## 1.6. Double loop ureteral stents

# Imajin<sup>®</sup> hydro-coated

## Silicone double loop ureteral stents

The remarkable biocompatibility of silicone makes it the material of choice for long-term implantation: improved patient comfort\* and less encrustation material compared to Polyurethane.

Hydro-coated stents to facilitate advancement.

Duration of implantation: up to 12 months.

• **Kit composition:** each stent is supplied in a kit with a steerable pusher and with or without a guidewire depending on the model.

• **Ø Guide:** 0.035".

• **Steerable pusher:** with or without radiopaque ring.

• **Box of 1** (with a guidewire) • Sterile.

• **Box of 5** (without a guidewire) • Sterile.



Kits with steerable pusher

Ch/Fr	Length	O/O			
		Fixed core guidewire	Terumo guidewire	Poseidon <sup>®</sup> guidewire	Without guidewire
6	16cm	BCHA61	BCHG61	BCHS61	BCHJ61
	20cm	BCHA62	BCHG62	BCHS62	BCHJ62
	22cm	BCHA67	BCHG67	BCHS67	BCHJ67
	24cm	BCHA63	BCHG63	BCHS63	BCHJ63
	26cm	BCHA64	BCHG64	BCHS64	BCHJ64
	28cm	BCHA65	BCHG65	BCHS65	BCHJ65
	30cm	BCHA66	BCHG66	BCHS66	BCHJ66
7	16cm	BCHA71	BCHG71	BCHS71	BCHJ71
	20cm	BCHA72	BCHG72	BCHS72	BCHJ72
	22cm	BCHA77	BCHG77	BCHS77	BCHJ77
	24cm	BCHA73	BCHG73	BCHS73	BCHJ73
	26cm	BCHA74	BCHG74	BCHS74	BCHJ74
	28cm	BCHA75	BCHG75	BCHS75	BCHJ75
	30cm	BCHA76	BCHG76	BCHS76	BCHJ76
8	16cm	BCHA81	BCHG81	BCHS81	BCHJ81
	20cm	BCHA82	BCHG82	BCHS82	BCHJ82
	24cm	BCHA83	BCHG83	BCHS83	BCHJ83
	26cm	BCHA84	BCHG84	BCHS84	BCHJ84
	28cm	BCHA85	BCHG85	BCHS85	BCHJ85
	30cm	BCHA86	BCHG86	BCHS86	BCHJ86

\* Compared to Percuflex™ plus (Boston Scientific) stent.

1 • ENDOUROLOGY  
1.6. Double loop ureteral stents

Duration of implantation: up to 12 months.


Vortek®

Double loop ureteral stents

The double layer structure makes it easy to insert over the guidewire, the stiffness of each size has been adapted in order to keep the mechanical properties.



- **Kit composition:** each stent is supplied in a kit with a pusher (simple or steerable), with or without a guidewire and with or without a Flush catheter depending on the model.  
 Ø Guide: 0.035".  
 Steerable pusher: with or without radiopaque ring.
- **Box of 1**, except for Order Ref. ACB6xx (box of 5) • Sterile.



Kits with simple pusher

Ch/Fr	Length	O/O			O/C
		Fixed core guidewire	Without guidewire	Terumo guidewire + Flush ACP6	Fixed core guidewire
Stent 4.8 Ch/Fr + Pusher 4.8 Ch/Fr 75cm	12cm	ACB550			ACBC50
	16cm	ACB551			ACBC51
	20cm	ACB552			ACBC52
	22cm	ACB557			ACBC57
	24cm	ACB553			ACBC53
	26cm	ACB554			ACBC54
	28cm	ACB555			ACBC55
	30cm	ACB556			ACBC56
Stent 6 Ch/Fr + Pusher 6 Ch/Fr 40cm	24cm	ACB563	ACB663		ACBC63
	26cm	ACB564	ACB664		ACBC64
	28cm	ACB565	ACB665		ACBC65
	30cm	ACB566	ACB666		ACBC66
Stent 7 Ch/Fr + Pusher 7 Ch/Fr 40cm	24cm	ACB573			ACBC73
	26cm	ACB574	ACB674	ACBG74	ACBC74
	28cm	ACB575	ACB675	ACBG75	ACBC75
	30cm	ACB576	ACB676		ACBC76
Stent 8 Ch/Fr + Pusher 7 Ch/Fr 40 cm	26cm	ACB584			
	28cm	ACB585			
	30cm	ACB586			

# 1 • ENDOUROLOGY

## 1.6. Double loop ureteral stents



Kits with simple pusher



Kits with steerable pusher

Ch/Fr	Length	O/O							
		Fixed core guidewire	Fixed core guidewire + Flush ACP2	Movable core guidewire	Movable core guidewire + Flush ACP6	Terumo guidewire	Poseidon URO guidewire	Without guidewire	Without guidewire + Flush ACP2
Stent 4.8 Ch/Fr + Pusher 4.8 Ch/Fr 75cm	12cm					ACB1B0	ACBS40		
	16cm					ACB1B1	ACBS41		
	20cm					ACB1B2	ACBS42		
	22cm					ACB1B7	ACBS47		
	24cm		ACB253			ACB1B3	ACBS43		
	26cm		ACB254			ACB1B4	ACBS44		ACB454
	28cm		ACB255			ACB1B5	ACBS45		ACB455
	30cm		ACB256			ACB1B6	ACBS46		
Stent 4.8 Ch/Fr + Pusher 6 Ch/Fr 40cm	12cm	ACB1C0				ACB1G0	ACBS50		
	16cm	ACB1C1				ACB1G1	ACBS51		
	20cm	ACB1C2				ACB1G2	ACBS52		
	22cm	ACB1C7				ACB1G7	ACBS57		
	24cm	ACB1C3	ACB2C3			ACB1G3	ACBS53		ACB4C3
	26cm	ACB1C4	ACB2C4			ACB1G4	ACBS54		ACB4C4
	28cm	ACB1C5	ACB2C5			ACB1G5	ACBS55		ACB4C5
	30cm	ACB1C6				ACB1G6	ACBS56		ACB4C6
Stent 6 Ch/Fr + Pusher 6 Ch/Fr 40cm	20cm	ACB162				ACB1D2	ACBS62		
	22cm	ACB167				ACB1D7	ACBS67	ACBM67	
	24cm	ACB163	ACB263	ACB363		ACB1D3	ACBS63	ACBM63	ACB463
	26cm	ACB164	ACB264	ACB364		ACB1D4	ACBS64	ACBM64	ACB464
	28cm	ACB165	ACB265	ACB365		ACB1D5	ACBS65	ACBM65	ACB465
	30cm	ACB166	ACB266	ACB366		ACB1D6	ACBS66	ACBM66	
Stent 7 Ch/Fr + Pusher 7 Ch/Fr 40cm	20cm	ACB172				ACB1E2	ACBS72		
	22cm	ACB177				ACB1E7	ACBS77		
	24cm	ACB173	ACB273	ACB373		ACB1E3	ACBS73	ACBM73	ACB473
	26cm	ACB174	ACB274	ACB374	ACB3C4	ACB1E4	ACBS74	ACBM74	ACB474
	28cm	ACB175	ACB275	ACB375	ACB3C5	ACB1E5	ACBS75	ACBM75	ACB475
	30cm	ACB176	ACB276	ACB376		ACB1E6	ACBS76	ACBM76	ACB476
Stent 8 Ch/Fr + Pusher 7 Ch/Fr 40cm	24cm	ACB183	ACB283			ACB1F3	ACBS83		
	26cm	ACB184	ACB284			ACB1F4	ACBS84		
	28cm	ACB185	ACB285			ACB1F5	ACBS85		
	30cm	ACB186				ACB1F6	ACBS86		

Duration of implantation: up to 12 months.

Vortek®


## Double loop ureteral stents

Soft outer layer for the patient comfort.

The double layer structure makes it easy to insert over the guidewire, the stiffness of each size has been adapted in order to keep the mechanical properties.



Ch/Fr	Length	O/C Fixed core guidewire
Stent 4.8 Ch/Fr + Pusher 4.8 Ch/Fr 75cm	12cm	ACB950
	16cm	ACB951
	20cm	ACB952
	22cm	ACB957
	24cm	ACB953
	26cm	ACB954
	28cm	ACB955
	30cm	ACB956
Stent 4.8 Ch/Fr + Pusher 6 Ch/Fr 40cm	24cm	ACB9C3
	26cm	ACB9C4
	28cm	ACB9C5
Stent 6 Ch/Fr + Pusher 6 Ch/Fr 40cm	24cm	ACB963
	26cm	ACB964
	28cm	ACB965
	30cm	ACB966
Stent 7 Ch/Fr + Pusher 7 Ch/Fr 40cm	24cm	ACB973
	26cm	ACB974
	28cm	ACB975
	30cm	ACB976
Stent 8 Ch/Fr + Pusher 7 Ch/Fr 40cm	26cm	ACB984
	28cm	ACB985



# 1 • ENDOUROLOGY


## 1.6. Double loop ureteral stents

Duration of implantation: up to 12 months.

# Vortek<sup>®</sup> hydro-coated

## Double loop ureteral stents

Soft outer layer for the patient comfort. The double layer structure makes it easy to insert over the guidewire. The hydrophilic coating facilitates the advancement of the stent.




- **Kit composition:** each stent is supplied in a kit with a pusher (simple or steerable), with or without a guidewire and with or without a Flush catheter depending on the model.

Ø Guide: 0.035".

**Steerable pusher:** with or without radiopaque ring.

- **Box of 1** (with a guidewire) • Sterile.
- **Box of 5** (without a guidewire) • Sterile.



Ch/Fr	Length	O/O			O/O					
		Fixed core guidewire	Terumo guidewire	Terumo guidewire + Flush ACP6	Fixed core guidewire	Fixed core guidewire + Flush ACP2	Terumo guidewire	Terumo guidewire + Flush ACP2	Poseidon URO guidewire	Without guidewire
Stent 4.8 Ch/Fr + Pusher 4.8 Ch/Fr 75cm	12cm				BCFA50		BCFG50			BCFJ50
	16cm				BCFA51		BCFG51			BCFJ51
	20cm				BCFA52		BCFG52			BCFJ52
	22cm				BCFA57		BCFG57		BCFS57	BCFJ57
	24cm				BCFA53		BCFG53		BCFS53	BCFJ53
	26cm				BCFA54		BCFG54		BCFS54	BCFJ54
	28cm				BCFA55		BCFG55		BCFS55	BCFJ55
	30cm				BCFA55		BCFG56			BCFJ56
Stent 4.8 Ch/Fr + Pusher 6 Ch/Fr 40cm	12cm				BCFA40		BCFG40			BCFJ40
	16cm				BCFA41		BCFG41			BCFJ41
	20cm				BCFA42		BCFG42			BCFJ42
	22cm				BCFA47		BCFG47		BCFS47	BCFJ47
	24cm				BCFA43		BCFG43		BCFS43	BCFJ43
	26cm				BCFA44		BCFG44		BCFS44	BCFJ44
	28cm				BCFA45		BCFG45		BCFS45	BCFJ45
	30cm				BCFA46		BCFG46			BCFJ46
Stent 6 Ch/Fr + Pusher 6 Ch/Fr 40cm	20cm				BCFA62		BCFG62			BCFJ62
	22cm				BCFA67	BCFM67	BCFG67		BCFS67	BCFJ67
	24cm				BCFA63	BCFM63	BCFG63		BCFS63	BCFJ63
	26cm	BNFA64	BNFG64	BNFQ64	BCFA64	BCFM64	BCFG64	BCFP64	BCFS64	BCFJ64
	28cm	BNFA65	BNFG65	BNFQ65	BCFA65	BCFM65	BCFG65	BCFP65	BCFS65	BCFJ65
	30cm		BNFG66	BNFQ66	BCFA66		BCFG66		BCFS66	BCFJ66
Stent 7 Ch/Fr + Pusher 7 Ch/Fr 40cm	20cm				BCFA72		BCFG72			BCFJ72
	22cm				BCFA77	BCFM77	BCFG77		BCFS77	BCFJ77
	24cm				BCFA73	BCFM73	BCFG73		BCFS73	BCFJ73
	26cm	BNFA74	BNFG74	BNFQ74	BCFA74	BCFM74	BCFG74	BCFP74	BCFS74	BCFJ74
	28cm	BNFA75	BNFG75	BNFQ75	BCFA75	BCFM75	BCFG75	BCFP75	BCFS75	BCFJ75
	30cm		BNFG76	BNFQ76	BCFA76		BCFG76		BCFS76	BCFJ76

1 • ENDOUROLOGY  
1.6. Double loop ureteral stents

Duration of implantation: up to 12 months.

# Biosoft® duo

## Double loop ureteral stents

Produced by coextrusion of a flexible material and a rigid material, Biosoft duo was designed for easy insertion, while retaining great flexibility for the patient comfort.



- **Kit composition:** each stent is supplied in a kit with a pusher (simple or steerable), with or without a guidewire and with or without a Flush catheter depending on the model.  
**Ø Guide:** 0.035".  
**Steerable pusher:** with or without radiopaque ring.
- **With a guidewire:** box of 1 • **Without a guidewire:** Box of 5.
- Sterile.

Kits with simple pusher

Kits with steerable pusher

Ch/Fr	Length (cm)	O/O	O/O								O/C	
			Fixed core guidewire	Fixed core guidewire + Flush ACP2xx	Movable core guidewire	Terumo guidewire	Terumo guidewire + Flush ACP2xx	Terumo guidewire + Flush ACP6xx	Poseidon URO guidewire*	Without guidewire	Fixed core guidewire	Movable core guidewire
Stent 4.8 Ch/Fr + Pusher 4.8 Ch/Fr 75cm	12cm	BNAA50		BCAM50	BCAD50	BCAGB0	BCAG50	BCAN50	BCAS50	BCAJ50	BCAB50	BCAE50
	16cm	BNAA51		BCAM51	BCAD51	BCAGB1	BCAG51	BCAN51	BCAS51	BCAJ51	BCAB51	BCAE51
	20cm	BNAA52		BCAM52	BCAD52	BCAGB2	BCAG52	BCAN52	BCAS52	BCAJ52	BCAB52	BCAE52
	22cm	BNAA57		BCAM57	BCAD57	BCAGB7	BCAG57	BCAN57	BCAS57	BCAJ57	BCAB57	BCAE57
	24cm	BNAA53		BCAM53	BCAD53	BCAGB3	BCAG53	BCAN53	BCAS53	BCAJ53	BCAB53	BCAE53
	26cm	BNAA54		BCAM54	BCAD54	BCAGB4	BCAG54	BCAN54	BCAS54	BCAJ54	BCAB54	BCAE54
	28cm	BNAA55		BCAM55	BCAD55	BCAGB5	BCAG55	BCAN55	BCAS55	BCAJ55	BCAB55	BCAE55
	30cm	BNAA56		BCAM56	BCAD56	BCAGB6	BCAG56	BCAN56	BCAS56	BCAJ56	BCAB56	BCAE56
Stent 4.8 Ch/Fr + Pusher 6 Ch/Fr 40cm	12cm		BCAA40	BCAM40	BCAD40	BCAGC0	BCAG40	BCAN40	BCAS40	BCAJ40	BCAB40	BCAE40
	16cm		BCAA41	BCAM41	BCAD41	BCAGC1	BCAG41	BCAN41	BCAS41	BCAJ41	BCAB41	BCAE41
	20cm		BCAA42	BCAM42	BCAD42	BCAGC2	BCAG42	BCAN42	BCAS42	BCAJ42	BCAB42	BCAE42
	22cm		BCAA47	BCAM47	BCAD47	BCAGC7	BCAG47	BCAN47	BCAS47	BCAJ47	BCAB47	BCAE47
	24cm		BCAA43	BCAM43	BCAD43	BCAGC3	BCAG43	BCAN43	BCAS43	BCAJ43	BCAB43	BCAE43
	26cm		BCAA44	BCAM44	BCAD44	BCAGC4	BCAG44	BCAN44	BCAS44	BCAJ44	BCAB44	BCAE44
	28cm		BCAA45	BCAM45	BCAD45	BCAGC5	BCAG45	BCAN45	BCAS45	BCAJ45	BCAB45	BCAE45
	30cm		BCAA46	BCAM46	BCAD46	BCAGC6	BCAG46	BCAN46	BCAS46	BCAJ46	BCAB46	BCAE46
Stent 6 Ch/Fr + Pusher 6 Ch/Fr 40cm	20cm		BCAA62			BCAGD2	BCAG62		BCAS62	BCAJ62	BCAB62	
	22cm		BCAA67			BCAGD7	BCAG67		BCAS67	BCAJ67		
	24cm	BNAA63	BCAA63	BCAM63		BCAGD3	BCAG63		BCAS63	BCAJ63	BCAB63	BCAE63
	26cm	BNAA64	BCAA64	BCAM64	BCAD64	BCAGD4	BCAG64	BCAN64	BCAS64	BCAJ64	BCAB64	BCAE64
	28cm	BNAA65	BCAA65	BCAM65	BCAD65	BCAGD5	BCAG65	BCAN65	BCAS65	BCAJ65	BCAB65	BCAE65
	30cm		BCAA66		BCAD66	BCAGD6	BCAG66		BCAS66	BCAJ66	BCAB66	
Stent 7 Ch/Fr + Pusher 7 Ch/Fr 40cm	20cm		BCAA72			BCAGE2	BCAG72		BCAS72	BCAJ72		
	22cm		BCAA77			BCAGE7	BCAG77		BCAS77	BCAJ77	BCAB77	
	24cm	BNAA73	BCAA73	BCAM73		BCAGE3	BCAG73		BCAS73	BCAJ73	BCAB73	
	26cm	BNAA74	BCAA74	BCAM74	BCAD74	BCAGE4	BCAG74	BCAN74	BCAS74	BCAJ74	BCAB74	BCAE74
	28cm	BNAA75	BCAA75	BCAM75	BCAD75	BCAGE5	BCAG75	BCAN75	BCAS75	BCAJ75	BCAB75	BCAE75
	30cm		BCAA76		BCAD76	BCAGE6	BCAG76		BCAS76	BCAJ76	BCAB76	
Stent 8 Ch/Fr + Pusher 8 Ch/Fr 40 cm	26cm	BNAA84	BCAA84			BCAGF4	BCAG84		BCAS84	BCAJ84	BCAB84	
	28cm	BNAA85	BCAA85		BCAD85	BCAGF5	BCAG85		BCAS85	BCAJ85	BCAB85	
	30cm		BCAA86		BCAD86	BCAGF6	BCAG86		BCAS86	BCAJ86	BCAB86	
Stent 9 Ch/Fr + Pusher 8 Ch/Fr 40 cm	26cm		BCAA94									
	28cm		BCAA95		BCAD95							
	30cm		BCAA96		BCAD96							

\* Only Italy Poseidon.

1 • ENDOUROLOGY

1.6. Double loop ureteral stents



Duration of implantation: up to 12 months.

# Biosoft® duo

## Multi-length hydro-coated double loop ureteral stents

Produced by coextrusion of a flexible material and a rigid material, Biosoft duo was designed for easy insertion, while retaining great flexibility for the patient comfort.

- **Kit composition:** each stent is supplied in a kit with a pusher (simple or steerable) and a guidewire.  
 Ø Guide: 0.035".  
 Steerable pusher: with radiopaque ring.
- **Box of 1 • Sterile.**




Kits with simple pusher


Ch/Fr Stent	Ch/Fr Pusher	Length Pusher	O/O
4.8	4.8	75cm	Fixed core guidewire
6	6	40cm	BNGA68
7	7	40cm	BNGA78

Kits with steerable pusher

Ch/Fr Stent	Ch/Fr Pusher	Length Pusher	O/O		
4.8	6	40cm	Fixed core guidewire	Terumo guidewire	Poseidon URO guidewire
6	6	40cm	BCGA68	BCGG68	BCGS68
7	7	40cm	BCGA78	BCGG78	BCGS78

The global stent is between 22 to 28 cm when the multi-length is straightened.





# 1 • ENDOUROLOGY


## 1.6. Double loop ureteral stents

Duration of implantation: up to 30 days.

# PU-R Double loop ureteral stents

## Double loop ureteral stents in rigid polyurethane

- **Kit composition:** each stent is supplied in a kit with a pusher (simple or steerable) and with or without a guidewire depending on the model.  
**Ø Guide:** 0.035".  
**Steerable pusher:** with or without radiopaque ring.
- **Box of 1** (with a guidewire) • Sterile.
- **Box of 5** (without a guidewire) • Sterile.




Ch/Fr	Length	O/O		O/O		O/C
		Fixed core guidewire	Fixed core guidewire	Movable core guidewire	Without guidewire	Fixed core guidewire
6	24cm	AC4B63	AC4663	AC4D63		AC4563
	26cm	AC4B64	AC4664	AC4D64	AC4E64	AC4564
	28cm	AC4B65	AC4665	AC4D65	AC4E65	AC4565
	30cm	AC4B66	AC4666	AC4D66		AC4566
7	24cm	AC4B73	AC4673	AC4D73	AC4E73	
	26cm	AC4B74	AC4674	AC4D74	AC4E74	AC4574
	28cm	AC4B75	AC4675	AC4D75	AC4E75	AC4575
	30cm	AC4B76	AC4676		AC4E76	AC4576
8	28cm	AC4B85				
	30cm	AC4B86				

# PU-S Double loop ureteral stents

## Double loop ureteral stents in soft polyurethane

Duration of implantation: up to 90 days.

- **Kit composition:** each stent is supplied in a kit with a pusher (simple or steerable) and a guidewire.  
**Ø Guide:** 0.035".  
**Steerable pusher:** with or without radiopaque ring.
- **Box of 5** • Sterile.



Ch/Fr	Length	O/O		O/C
		Fixed core guidewire	Fixed core guidewire	Fixed core guidewire
6	24cm		AC4263	
	26cm	ACBH64	AC4264	AC4364
	28cm	ACBH65	AC4265	
7	24cm		AC4273	
	26cm	ACBH74	AC4274	AC4374
	28cm	ACBH75	AC4275	



Duration  
of implantation:  
up to 30 days.

# Polyamide & Polyurethane double loop ureteral stent sets



- **Set composition:** each stent is supplied in the same peel pouch with a simple pusher and with or without a guidewire depending on the model.  
**Ø Guide:** 0.035".
- **Box of 5** • Sterile.

Sets with  
simple pusher

Ch/Fr	Length	O/O		O/C	
		Fixed core guidewire	Without guidewire	Fixed core guidewire	Without guidewire
4.8	24cm	BNBA53	BNBJ53	BNBB53	BNBK53
	26cm	BNBA54	BNBJ54	BNBB54	BNBK54
	28cm	BNBA55	BNBJ55	BNBB55	BNBK55
	30cm	BNBA56	BNBJ56		
6	24cm	BNBA63	BNBJ63	BNBB63	BNBK63
	26cm	BNBA64	BNBJ64	BNBB64	BNBK64
	28cm	BNBA65	BNBJ65	BNBB65	BNBK65
	30cm	BNBA66	BNBJ66		
7	24cm	BNBA73	BNBJ73	BNBB73	BNBK73
	26cm	BNBA74	BNBJ74	BNBB74	BNBK74
	28cm	BNBA75	BNBJ75	BNBB75	BNBK75
	30cm	BNBA76	BNBJ76		
8	26cm	BNBA84	BNBJ84	BNBB84	BNBK84
	28cm	BNBA85	BNBJ85	BNBB85	BNBK85
	30cm	BNBA86	BNBJ86	BNBB86	BNBK86

1 • ENDOUROLOGY

1.6. Double loop ureteral stents

Duration of implantation: up to 12 months.

# Double loop ureteral stents

## For ureteral stenosis\_

**STENOSTENT** • Silicone for long-term implantation.

12 Ch/Fr reinforced body for maximum resistance to stenosis, 8 Ch/Fr loops for patient comfort.

- **Kit composition:** each stent is supplied in a kit with a steerable pusher (with radiopaque ring) and a guidewire.
- **Ø Guide:** 0.035" (fixed core guidewire).
- **Box of 1** • Sterile.



Kits with steerable pusher

	O/O				
Length	16cm	24cm	26cm	28cm	30cm
Order Ref.	AJ4W81	AJ4W83	AJ4W84	AJ4W85	AJ4W86

Duration  
of implantation:  
up to 12 months.


# Double loop ureteral stents

## For pyeloplasty\_

Pyelostent silicone for long-term implantation.

12 Ch/Fr reinforced part in renal pelvis for a better healing, 8 Ch/Fr loops for patient comfort.

- **Kit composition:** each stent is supplied in a kit with a steerable pusher (with radiopaque ring) and a guidewire.  
Ø Guide: 0.035" (fixed core guidewire).
- **Box of 1** • Sterile.



Kits with steerable pusher

	O/O		
Length	26cm	28cm	30cm
Order Ref.	AJ4Y84	AJ4Y85	AJ4Y86

# 1 • ENDOUROLOGY

## 1.6. Double loop ureteral stents

Duration of implantation: up to 12 months.

# Double loop ureteral stents

## Without eyes on the straight section

**Vortek:** its two-layer structure makes it easy to insert.

**Silicone:** the biocompatibility of silicone makes it the material of choice for long-term implantation.

- **Kit composition:** each stent is supplied in a kit with a pusher (simple or steerable) and a guidewire.
  - Ø Guide: 0.035" (fixed core guidewire).
  - Steerable pusher: with or without radiopaque ring.
- **Box of 1** • Sterile.



Sets with simple pusher

		O/O Vortek	
Ch/Fr	Length	Steerable pusher	Simple pusher
6	16cm		
	20cm		
	22cm		
	24cm	ACB763	
	26cm	ACB764	ACB864
	28cm	ACB765	ACB865
	30cm	ACB766	ACB866
7	16cm		
	20cm		
	22cm		
	24cm	ACB773	
	26cm	ACB774	ACB874
	28cm	ACB775	ACB875
	30cm	ACB776	ACB876
8	16cm		
	20cm		
	22cm		
	24cm	ACB783	
	26cm	ACB784	
	28cm	ACB785	
	30cm	ACB786	

		O/O Silicone	
Ch/Fr	Length	Steerable pusher	Simple pusher
6	16cm	AJ4U61	AJ4B61
	20cm	AJ4U62	AJ4B62
	22cm	AJ4U67	AJ4B67
	24cm	AJ4U63	AJ4B63
	26cm	AJ4U64	AJ4B64
	28cm	AJ4U65	AJ4B65
	30cm	AJ4U66	AJ4B66
7	16cm	AJ4U71	AJ4B71
	20cm	AJ4U72	AJ4B72
	22cm	AJ4U77	AJ4B77
	24cm	AJ4U73	AJ4B73
	26cm	AJ4U74	AJ4B74
	28cm	AJ4U75	AJ4B75
	30cm	AJ4U76	AJ4B76
8	16cm	AJ4U81	AJ4B81
	20cm	AJ4U82	AJ4B82
	22cm	AJ4U87	AJ4B87
	24cm	AJ4U83	AJ4B83
	26cm	AJ4U84	AJ4B84
	28cm	AJ4U85	AJ4B85
	30cm	AJ4U86	AJ4B86


Duration  
of implantation:  
up to 12 months.

# Vortek® Tumor stents

## Without eyes on the straight section

The inner layer is reinforced compared to the standard Vortek ureteral stent. It allows passing through stricture and the stiffness of material offers an excellent resistance to compression.

- **Kit composition:** each stent is supplied in a kit with a steerable pusher (with radiopaque ring) and a guidewire.  
Ø Guide: 0.035" (hydrophilic nitinol guidewire).
- **Box of 1** • Sterile.



  
Kits with  
steerable pusher


Ch/Fr	Length	O/O	
		Terumo guidewire	Poseidon® guidewire
7	26cm	BCCG74	BCCS74
	28cm	BCCG75	BCCS75
	30cm	BCCG76	BCCS76
8	26cm	BCCG84	BCCS84
	28cm	BCCG85	BCCS85
	30cm	BCCG86	BCCS86

1 • ENDOUROLOGY  
1.7. Single loop ureteral stents

# Vortek® Single loop ureteral stents

## Device for drainage and urine collection

- **Set composition:**
  - Single loop ureteral stent 90cm.
  - Seldinger fixed core 0.035" guidewire.
  - Clamp.
  - A connector with a Luer end for connection to a Luer-bag.
- **Box of 1 • Sterile.**



	O/C		
Ch/Fr	6	7	8
Order Ref.	AC4406	AC4407	AC4408

Eyes on loop and body.

	O/O		
Ch/Fr	6	7	8
Order Ref.	ACA206	ACA207	ACA208

Eyes on loop and body.

	O/O		
Ch/Fr	6	7	8
Order Ref.	ACA106	ACA107	ACA108

Eyes on loop only.


# Soprano®

## Exclusive Hybrid Design

Soprano® is a guidewire with an exclusive hybrid design that combines the access of a nitinol wire with the handling of a PTFE-coated wire

### Soprano®

The hydrophilic flexible tip reduces surface friction, and its round distal tip creates a lubricious surface for ease of insertion and navigation.



### Soprano® Dual Flex

The Soprano Dual Flex features a flexible proximal end designed to ease passage and to minimize the risk of scope damage.



Order Ref.	Description	Diameter	Length	Tip shape	Tip style	Quantity
AEHA35	Soprano®	0.035" (0.89mm)	150cm	Straight	5cm hydrophilic straight distal tip with the first 3cm flexible	Box of 5
AEHB35	Soprano® Dual Flex	0.035" (0.89mm)	150 cm	Straight	5cm hydrophilic straight distal tip with the first 3cm flexible 7.5cm flexible (proximal)	Box of 5

1 • ENDOUROLOGY  
1.8. Guidewires

# Hydrophilic Nitinol guidewires

## Radifocus™ Terumo guidewires\*

Its configuration and the combination of Nitinol and hydrophilic properties allow the Terumo guidewires to reach difficult access sites.

- Flexible tip length: 3cm.
- Box of 5 • Sterile.


Diameter	Length	Rigidity	Tip	Order Ref.
0.035"	150cm	Standard	Straight	AE0N35
			Angled	AE0T35
		Stiff	Straight	AE0P35
			Angled	AE0X35



## Poseidon guidewires\*\*

A hydrophilic coating is applied to the guide wire to lower the friction and improve the navigation and trackability.

- Flexible tip length: 3cm.
- Box of 5 • Sterile.



Diameter	Length	Rigidity	Tip	Order Ref.
0.035"	150cm	Standard	Straight	000P1HYDS35
			Angled	000P1HYDA35
		Stiff	Straight	000P1HYSS35
			Angled	000P1HYSA35



\* Not authorized in Italy.  
\*\* For Italy only.

# PTFE-coated guidewires

## Seldinger guidewires

- Box of 5 • Sterile.

### Fixed core guidewires

Straight tip



	150cm	150cm	90cm
Diameter	Standard	Stiff	Standard
0.032"	AE0032		AE0E32
0.035"	AE0035	AE0C35	
0.038"	AE0038		AE0E38

5cm flexible tip except AE0C35 11cm.

### Fixed core guidewires

"J" tip



	80cm
Diameter	Stiff
0.038"	AE1138

5cm flexible tip.

### Movable core guidewires

Straight tip



	150cm	
Diameter	Standard	Stiff
0.032"	AE0A32	
0.035"	AE0A35	AE0D35
0.038"	AE0A38	

5cm flexible tip.

# 1 • ENDOUROLOGY

## 1.8. Guidewires

# Stainless steel guidewires

## Schüller and Lunderquist guidewires

- Box of 5 • Sterile.



### Schüller

	100cm	
Diameter	Straight	"J"
0.035"	AE0435	AEJ435

7cm flexible tip.



### Lunderquist

	80cm	
Diameter	Straight	"J"
0.035"	AE0535	AEJ535

6cm flexible tip for AE0535.

7cm flexible tip for AEJ535.

# Drainage catheters

## Wide range of tips\_

- Each catheter is supplied with a stylet (metal or polyester) and a colour code connector.
- Material: Neoplex.
- Length: 70cm for AC55xx, AC52xx, ACN6xx and 69cm for AC54xx, AC51xx, AC53xx and AC50xx.
- Catheters are individually packed.
- **Box of 10 • Sterile.**

### Straight open whistle tip

Eyes: 2 - Stylet: metal							
Ch/Fr	3	4	5	6	7	8	9
Order Ref.	AC5503	AC5504	AC5505	AC5506	AC5507	AC5508	AC5509

Eyes: 6 - Stylet: metal							
Ch/Fr	3	4	5	6	7	8	9
Order Ref.	ACN603	ACN604	ACN605	ACN606	ACN607	ACN608	ACN609

Eyes: 2 - Stylet: polyester							
Ch/Fr	3	4	5	6	7	8	9
Order Ref.	AC5203	AC5204	AC5205	AC5206	AC5207	AC5208	AC5209



### Straight closed olive tip

Eyes: 2 - Stylet: metal						
Ch/Fr	3	4	5	6	7	8
Order Ref.	AC5403	AC5404	AC5405	AC5406	AC5407	AC5408

Eyes: 2 - Stylet: polyester							
Ch/Fr	3	4	5	6	7	8	9
Order Ref.	AC5103	AC5104	AC5105	AC5106	AC5107	AC5108	AC5109



### Straight closed cylindrical tip

Eyes: 2 - Stylet: metal						
Ch/Fr	3	4	5	6	7	8
Order Ref.	AC5303	AC5304	AC5305	AC5306	AC5307	AC5308

Eyes: 2 - Stylet: polyester							
Ch/Fr	3	4	5	6	7	8	9
Order Ref.	AC5003	AC5004	AC5005	AC5006	AC5007	AC5008	AC5009



1 • ENDOUROLOGY  
1.9. Ureteral catheters

# Interventional catheters

These catheters are suitable for use with a guidewire during endoscopic procedures

Made of PEBA.

- Each catheter is supplied with a metal stylet and a Luer syringe connector.
- Length: 74cm for ACP20x, APC30x and 73cm for ACP40x, ACP60x.
- Catheters are individually packed.
- **Box of 5** • Sterile.

## Flush straight open tip ureteric catheters without side eye

Ch/Fr	4.8	6	7	8
Guidewire recommended	0.038"	0.038"	0.038"	0.038"
Order Ref.	ACP205	ACP206	ACP207	ACP208



## Straight open tip ureteric catheters with 2 side eyes

Ch/Fr	3	4	4.8	6	7
Guidewire recommended	0.021"	0.035"	0.038"	0.038"	0.038"
Order Ref.	ACP303	ACP304	ACP305	ACP306	ACP307




## Open coude tip ureteric catheters with 2 eyes

Ch/Fr	3	4	4.8	6	7
Guidewire recommended	0.021"	0.035"	0.038"	0.038"	0.038"
Order Ref.	ACP403	ACP404	ACP405	ACP406	ACP407



## Open coude tip ureteric catheters without side eye

Ch/Fr	3	4	4.8	6	7
Guidewire recommended	0.021"	0.035"	0.038"	0.038"	0.038"
Order Ref.	ACP603	ACP604	ACP605	ACP606	ACP607




# Interventional catheters

## Floppy tip hydro-coated ureteric catheter

The flexible open tip is designed for smooth passage through the ureter. The hydrophilic coating over 15cm makes catheter insertion and advancement easier. The grey part at the distal end improves the visualisation of the catheter tip.

- Each catheter is supplied with a polyester stylet and a Luer syringe connector.
- Material: Neoplex.
- Length: 70cm.
- Catheters are individually packed.
- **Box of 5** • Sterile.



### Straight open ureteric catheters without side eye

Ch/Fr	5	6	7
Guidewire recommended	0.035"	0.035"	0.035"
Order Ref.	ACR205	ACR206	ACR207

## Chevassu catheters for Retrograde UreteroPyelography (RUP)

The shaped bulb of Chevassu catheters allows effective injection of contrast medium.

- Each catheter is supplied with a metal stylet and a Luer syringe connector.
- Material: Neoplex.
- 73cm for AC5C07 and 70cm for AC59xx.
- Catheters are individually packed.
- **Box of 5** • Sterile.

### Chevassu ureteric catheters compatible with a 0.035" guidewire

Bulb Ch/Fr	7
Body Ch/Fr	5
Order Ref.	AC5C07



### Chevassu ureteric catheters

Bulb Ch/Fr	4	5	6	7	8	9	10	11	12
Body Ch/Fr	3	3	4	5	5	6	7	7	7
Order Ref.	AC5904	AC5905	AC5906	AC5907	AC5908	AC5909	AC5910	AC5911	AC5912




1 • ENDOUROLOGY  
1.10. Ureteral dilators

# Ureteral dilators

Used for dilatation of the ureter during ureteroscopic procedures

- Compatible with a 0.038" guidewire.
- Diameter (Ch/Fr) indicated at each tip.
- **Box of 10** • Sterile.




Order Ref.	Ch/Fr	Length
RBD010	8 and 10	48cm
RBD014	12 and 14	48cm

# Kolibri® set with J catheter

## Complete range of drainage set with J catheter

- **Kit composition:**
  - 2 Chiba needles: 18 and 22G.
  - 1 Seldinger or Schüller J-tip guidewire.
  - 1 set of dilators according to the catheter size with or without working sheath.
  - 1 Vortek J catheter with sleeve (29cm) except for 14Ch/Fr (32cm).
  - 1 Luer-lock stopcock and PVC connector tubing.
- **Box of 1** • Sterile.



J catheter		Ch/Fr						
		6	7	8	9	10	12	14
Seldinger guidewire 0.038"	Simple dilator	RJA006*		RJA008* RJA108		RJA110	RJA112	RJA114
	Simple dilators + dilator with working sheath			RJA208		RJA210	RJA212	
Schüller guidewire 0.035"	Simple dilator	RJB006*	RJB007*	RJB108	RJB109	RJB110		
	Simple dilators + dilator with working sheath			RJB208		RJB210		


\* Catheter without stylet.

2 • PERCUTANEOUS ACCESS  
2.2. Percutaneous nephrostomy accessories


# Guidewires

## Catheter insertion and changing\_


• Box of 5 • Sterile.



Type	Tip	Diameter	Length	Order Ref.
Seldinger (stiff)	"J"	0.038"	80cm	AE1138
	Straight	0.035"	150cm	AE0C35



Type	Tip	Diameter	Length	Order Ref.
Schüller	"J"	0.035"	100cm	AEJ435
	Straight	0.035"	100cm	AE0435




Type	Tip	Diameter	Length	Order Ref.
Lunderquist	"J"	0.035"	80cm	AEJ535
	Straight	0.035"	80cm	AE0535

# Needles

## Puncture of the renal cavities

- Box of 5 • Sterile.

Order Ref.	Tip	Diameter
RAC018	Chiba	18G
RAC022	Chiba	22G



Length: 20cm.


# Dilators

Tract preparation simple or splittable working sheath to protect the parenchyma and make withdrawal easier

- Box of 5 • Sterile.



	Simple dilator				
Ch/Fr	8	10	12	6, 8, 10	6, 8, 10, 12, 14
Order Ref.	RBA008	RBA010	RBA012	RBB010	RBB014



	Simple dilator and dilator with working splittable sheath			
	Simple dilator		Dilator with working splittable sheath	
Ch/Fr	6	8	6 and 8	10
Order Ref.	RBC008		RBC010	

2 • PERCUTANEOUS ACCESS  
2.2. Percutaneous nephrostomy accessories

# J catheters

For percutaneous drainage of the renal cavities

- Box of 5 • Sterile.

## J catheters

J catheters are supplied with sleeve + 1 Luer-lock stopcock and PVC connector tubing.

	Without stylet			With stylet				
Ch/Fr	6	7	8	8	9	10	12	14
Order Ref.	RCJ006	RCJ007	RCJ008	RCJ108	RCJ109	RCJ110	RCJ112	RCJ114

Length: without connector: 27cm except for RCJ114: 30cm.



# Balloon catheters in silicone

For increased comfort during drainage

- All silicone for biocompatibility and patient comfort.
- Radiopaque line helps to see product on X-Ray.
- Box of 10 • Sterile.

Ch/Fr	10	12	14	16	18	20
Catheter with 2 eyes above the balloon	AJ6610	AJ6612	AJ6614	AJ6616	AJ6618	AJ6620
Catheter with 2 eyes above and under the balloon	AJ6710	AJ6712	AJ6714	AJ6716	AJ6718	AJ6720

Length: 40cm.



# Connection

- Box of 10 • Sterile.

Removable Luer-lock and universal urine bag adapter
REA000



# Set with J catheter

Percutaneous set. Each component of the kit is supplied in the same peel pouch\_

- **Set composition:**
  - Chiba needle 18G.
  - Seldinger guidewire 0.038".
  - 1 set of dilators depending on the catheter size.
  - Vortek J catheter with stylet (except RJE106).
  - Length:29cm (except RJE114: 32.5cm).
- **Box of 5 • Sterile.**

Ch/Fr	6	8	10	12	14
Order Ref.	RJE106	RJE108	RJE110	RJE112	RJE114

2 • PERCUTANEOUS ACCESS  
2.4. Suprapubic drainage

# Cystodrain® integral Set

## Suprapubic drainage sets with Silicone Integrated balloon catheter

Punction set	Light punction set	Dilation set	Replacement set
Silicone Integral balloon catheter	Silicone Integral balloon catheter	Silicone Integral balloon catheter	Silicone Integral balloon catheter
Splittable trocar (12cm)	Splittable trocar (12cm)	Dilator	Adhesive tape
Locking sleeve		PTFE Guidewire (90 cm)	Spigot
Adhesive tape		Adhesive tape	Optional PTFE guidewire (90 cm)
Spigot		Spigot	
Scalpel			
Box of 5 • Sterile	Box of 5 • Sterile	Box of 5 • Sterile	Box of 1 or 5 • Sterile



Silicone Integral balloon catheter: Channels: 2 – Eyes: 2 – Balloon size: 3 (Ch.10) / 5 ml – PTFE Guidewire: 0.038" (0.97mm).



Trocar



Scalpel



Sleeve



Spigot



Dilator



Adhesive tape

### Punction sets references

Trocar Ø int/ext Ch,Fr	12/14	13/16	16/17
Catheter Ø Ch/Fr	10	12	14
Punction set Order Ref.	CD1010	CD1012	CD1014
Light punction set Order Ref.	CD1210	CD1212	CD1214

### Dilatation set references

Catheter Ch/Fr	12	14
Set Order Ref.	CD1112	CD1114

### Simple replacement sets

Catheter Ch/Fr	10	12	14	16	18	20
Replacement set Order Ref. (with guidewire)	CD1A10	CD1A12	CD1A14	CD1A16		
Replacement set Order Ref. (without guidewire)	CD1B10	CD1B12	CD1B14	CD1B16	CD1B18	CD1B20
	CD1C10	CD1C12	CD1C14	CD1C16	CD1C18	CD1C20

Box of 1

Box of 5

# Supraflow


The benefits of suprapubic puncture with the simplicity of a balloon catheter\_

- Complete set.
- Silicone Foley catheter.
- A peelable sheath trocar.
- Scalpel.
- **Box of 5** • Sterile.

## Complete set references

Trocar Ø int/ext mm	5.5/6.8	6.75/8.0
Catheter Ø Ch/Fr	12	16
Ballon size (ml)	10	15
Set Order Ref.	AJ9212	AJ9216

Silicone Foley catheter additional info: Length: 40cm – Channels: 2 – Eyes: 2.



2 • PERCUTANEOUS ACCESS  
2.5. Urinary Diversion

# Urinary diversion

• Individually packaged, except for AC41xx and AC65xx (box of 5) • Sterile.



Length: 155cm • Material: PVC								
Ch/Fr	5	6	7	8	9	10	11	12
Order Ref.	AC4105	AC4106	AC4107	AC4108	AC4109	AC4110	AC4111	AC4112

Catheter for uretero-sigmoidostomy, 6 eyes, straight proximal end, radiopaque line.



Length: 120cm • Material: PVC				
Ch/Fr	8	10	12	14
Order Ref.	AC4708	AC4710	AC4712	AC4714

Catheter for entero-cystoplasty, with eyes, funnel proximal end, radiopaque line.



Length: 45cm • Material: Silicone								
Ch/Fr	8	10	12	14	16	18	20	22
Order Ref.	AC6708	AC6710	AC6712	AC6714	AC6716	AC6718	AC6720	AC6722

Ureterostomy catheter, 5 eyes, bevel tip, funnel proximal end, radiopaque line. Round flange.



Length: 45cm • Material: Silicone							
Ch/Fr	8	10	12	14	16	20	22
Order Ref.	AC6808	AC6810	AC6812	AC6814	AC6816	AC6820	AC6822

Ureterostomy catheter, 5 eyes, bevel tip, funnel proximal end, radiopaque line. Oval flange.



Length: 45cm • Material: Silicone			
Ch/Fr	8	10	12
Order Ref.	AC7008	AC7010	AC7012

Ureterostomy catheter, 5 eyes, bevel tip, straight proximal end, radiopaque line. Round flange.



Total Length: 52cm • Material: Silicone			
Ch/Fr	8	10	12
Order Ref.	BJ3008	BJ3010	BJ3012

Ureterostomy and entero-cystoplasty catheter, single loop, open and tapered distal tip, radiopaque. Oval flange.

3 • CONNECTORS AND SPIGOT  
3.1. Connectors and Spigot

# Connectors and spigot

- Box of 10 • Sterile.
- CP18200000: Box of 50 • Sterile.

## Connectors for tube



Material: Polypropylene			
External diameter (mm)	4-6-4	7-11-7	10-14-10
Internal diameter (mm)	3-3	5-5	8-8
Order Ref.	PB0101	PB0102	PB0103



Material: Polypropylene			
External diameter (mm)	4-6 / 7-11	4-6 / 14-10	7-11 / 14-10
Internal diameter (mm)	3-5	3-8	5-8
Order Ref.	PB0201	PB0202	PB0203



Material: Polypropylene				
External diameter (mm)	3 x 4-5	3 x 6-8	3 x 9-11	3 x 11-13
Internal diameter (mm)	2-2-2	4-4-4	7-7-7	8-8-8
Order Ref.	PB1201	PB1203	PB1204	PB1205

## Tuohy Borst Adapter



Material: Polycarbonate • Acrylic • Silicone	
Order Ref.	AK2000

## Spigot



Material: ABS	
Order Ref.	CP18200000

### 3 • CONNECTORS AND SPIGOT

#### 3.1. Connectors and Spigot

#### Connectors for catheters



Material: Thermoplastic Elastomer Styrene (TPE)		
Ch/Fr	3-10	9-12
Order Ref.	AK4010	AK4012



Material: PVC	
Order Ref.	AK5300



Material : Thermoplastic Elastomer Styrene (Sheath) Acrylic copolymer (Luer male) • Thermoplastic (Luer female)	
Order Ref.	AK4100



Material: Thermoplastic Elastomer Styrene (Sheath) Acrylic copolymer (Luer male) • Thermoplastic and Silicone (Luer connector)		
Ch/Fr	3-8	9-12
Order Ref.	AK4200	AK4201



Material: Thermoplastic Elastomer Styrene (Sheath) • Acrylic copolymer (Luer male)	
Order Ref.	AK4300



Material: Polyamide • Silicone		
Ch/Fr	3-8	9-12
Order Ref.	AK3400	AK3401

4 • LOWER URINARY TRACT  
4.1. Prostatic catheters

# Dufour tip



- Length: 41cm.
- Box of 5 • Sterile.



Silicone X-Flow  
Hydro X-Flow



Silicone X-Flow  
Short Tip

Ways	Balloon size	Material	Ch/Fr			
			18	20	22	24
3 Ways	30ml	X-Flow Silicone Dufour short tip	AB6S18	AB6S20	AB6S22	AB6S24
	50ml	X-Flow Silicone Dufour short tip	AB6R18	AB6R20	AB6R22	AB6R24
		X-Flow Silicone Dufour tip	AB6318	AB6320	AB6322	AB6324
	Hydro X-Flow Silicone Dufour tip	XB6318	XB6320	XB6322	XB6324	
	80ml	Hydro X-Flow Silicone Dufour tip	XB6L18	XB6L20	XB6L22	XB6L24
2 Ways	50ml	X-Flow Silicone Dufour tip	AB6418	AB6420	AB6422	AB6424

4 • LOWER URINARY TRACT  
4.1. Prostatic catheters

# Delinotte tip

## Coudé tip

- Length: 41cm.
- Box of 5 • Sterile.



Silicone X-Flow  
Hydro X-Flow

Ways	Balloon size	Material	Ch/Fr			
			18	20	22	24
3 Ways	50ml	X-Flow Silicone Delinotte tip	AB6218	AB6220	AB6222	AB6224
		Hydro X-Flow Silicone Delinotte tip	XB6218	XB6220	XB6222	XB6224
	80ml	Hydro X-Flow Silicone Delinotte tip	XB6N18	XB6N20	XB6N22	XB6N24

# Couvelaire tip

## Whistle tip\_



- Length: 41cm.
- Box of 5 • Sterile.



Silicone X-Flow  
Hydro X-Flow

Ways	Balloon size	Material	Ch/Fr			
			18	20	22	24
3 Ways	50ml	X-Flow Silicone Couvelaire tip	AB6118	AB6120	AB6122	AB6124
		Hydro X-Flow Silicone Couvelaire tip	XB6118	XB6120	XB6122	XB6124
	80ml	Hydro X-Flow Silicone Couvelaire tip	XB6M18	XB6M20	XB6M22	XB6M24
2 Ways	50ml	X-Flow Silicone Couvelaire tip	AB6518	AB6520	AB6522	AB6524

4 • LOWER URINARY TRACT  
4.1. Prostatic catheters

# Straight tip



- Length: 41cm.
- Box of 5 • Sterile.



Silicone X-Flow



Silicone short tip X-Flow




Over guidewire

Ways	Balloon size	Material	Ch/Fr			
			18	20	22	24
3 Ways	50ml	X-Flow Silicone straight tip	AB6018	AB6020	AB6022	AB6024
		X-Flow Silicone straight short tip	AB6H18	AB6H20	AB6H22	AB6H24
		X-Flow Silicone over the guide short tip*	AB6G18	AB6G20	AB6G22	AB6G24

\* Compatible with guidewire.

# Freudenberg Stylet

- Intended to stiffen or elbow a prostatic catheter in case of urethral insertion difficulty.
- **Individually packaged** • Sterile • Reusable.



Freudenberg stylet	
Order Ref.	AL0000

4 • LOWER URINARY TRACT  
4.1. Prostatic catheters

# Catheters

## With 30ml balloon



- Sterile.



Silicone X-Flow



Silicone short tip X-Flow

### With 30ml balloon • Box of 5

- Length 41cm.

Ways	Balloon size	Tip	Material	Ch/Fr			
				18	20	22	24
3 Ways	30ml	Dufour	X-Flow Silicone	AB6A18	AB6A20	AB6A22	AB6A24
		Delinotte	X-Flow Silicone	AB6E18	AB6E20	AB6E22	AB6E24
		Couvelaire	X-Flow Silicone	AB6B18	AB6B20	AB6B22	AB6B24
		Straight	X-Flow Silicone	AB6C18	AB6C20	AB6C22	AB6C24
		Straight short tip	X-Flow Silicone	AB6J18	AB6J20	AB6J22	AB6J24

# ABVac

## Bladder evacuator

Intended to be used for evacuating irrigation solutions, blood clots, tissue collection and/or straining functions during prostate surgery or bladder surgery.

### Main Features

- Single Nozzle adaptor for Storz, Wolf, Olympus and ACMI Resectoscopes.
- Single hand use for an excellent eye - hand coordination.
- Excellent throw and suction.



Order Ref.	Description	Quantity
000PABVAC	Bladder evacuator	10 units



## 4 • LOWER URINARY TRACT

### 4.3. Bladder injection

# BoNee® Needle for bladder injection

- For Injection inside the bladder muscle.
- Short tip (4mm).
- 22G needle
- 5Ch/Fr tube.
- Protection cap on the needle tip.
- Pointer stop: Reduce the bladder perforation risk.
- Flexible body.
- **Box of 1 or 5** • Sterile.



Tube length	Use	Box of 1	Box of 5
35cm	With rigid cystoscope	NBI035	BBI035
70cm	With both flexible and rigid cystoscope	NBI070	BBI070



22G needle, 5 Ch/Fr tube, 4mm tip.

### 4.4. Urethral dilation

# Bougies

- Dilation of the meatus before endoscopy.
- **Individually packaged** • Gradual dilation of strictures • Sterile.

Dilation of the meatus before endoscopy and gradual dilation of strictures are applicable for all bougies

### For routine urethral dilation

Neoplex • Straight / tapered olive tip bougie - Length: 34cm								
Ch/Fr	6	7	8	9	10	12	14	16
Order Ref.	AG5306	AG5307	AG5308	AG5309	AG5310	AG5312	AG5314	AG5316
Ch/Fr	18	20	22	24	26	28	30	
Order Ref.	AG5318	AG5320	AG5322	AG5324	AG5326	AG5328	AG5330	



# Foley catheters

## Silicone catheters



All lengths are indicative.



Tiemann



Tiemann+



Over guidewire



Folsil X-Tra



Neobladder 3 ways

• Box of 5 • Sterile.

Type	Balloon	Total length	Number of eyes	Ch/Fr						
				12	14	16	18	20	22	24
Straight	10ml	40cm	2	AW6112	AW6114	AW6116	AW6118	AW6120	AW6122	AW6124
	10ml	41cm	2	AA6112	AA6114	AA6116	AA6118	AA6120	AA6122	AA6124
	30ml	41cm	2				AA6C18	AA6C20	AA6C22	AA6C24
Female Straight	10ml	25cm	2	AA6512	AA6514					
	15ml	25cm	2			AA6516	AA6518	AA6520	AA6522	AA6524
Over the guidewire	10ml	40cm	2 + tip	AA6412	AA6414					
	15ml	40cm	2 + tip			AA6416	AA6418	AA6420	AA6422	AA6424
Straight Grooved	10ml	40cm	2	AA6612	AA6614					
	15ml	40cm	2			AA6616	AA6618	AA6620	AA6622	AA6624
Tiemann	10ml	40cm	1	AA6312	AA6314					
	15ml	40cm	1			AA6316	AA6318	AA6320	AA6322	AA6324
	10ml	42cm	1	AW6312	AW6314	AW6316	AW6318	AW6320	AW6322	AW6324
Tiemann+	10ml	40cm	1	AA9312	AA9314					
	15ml	40cm	1			AA9316	AA9318	AA9320	AA9322	
Neobladder 3 ways	30ml	40cm	6 + tip					AA6820	AA6822	
	30ml	40cm	4 + 2** + tip				AA6918	AA6920	AA6922	

\*\* 2 eyes under the balloon.



\* Delivered without introducer.

## 4 • LOWER URINARY TRACT

### 4.4. Foley catheters

All lengths are indicative.

#### Paediatric foley catheters, up to 30 days, except LT\* use

• Box of 5 • Sterile.

Type	Balloon	Length	Ch/Fr		
			6	8	10
Straight (with introducer)	1.5ml	26cm	AA6106		
	1.5ml	31cm	AW6106		
	3ml	26cm		AA6108	
	3ml	31cm		AW6108	AA6110 / AW6110
Over the guidewire	1.5ml	26cm	AA6406		
	3ml	26cm		AA6408	
	3ml	31cm			AA6410
Tiemann	3ml	27cm		AA6308	
	3ml	32cm			AA6310
*Long Term	1.5ml	26cm	AA7106		
	3ml	26cm		AA7108	
	3ml	31cm			AA7110

#### Folysil LT, for long term use (up to 12 weeks)

• Box of 5 • Sterile.

Type	Balloon	Length	Number of eyes	Ch/Fr					
				12	14	16	18	20	22
Straight	10ml	41cm	2	AA7112	AA7114	AA7116	AA7118	AA7120	AA7122
Female	10ml	25cm	2	AA7512	AA7514	AA7516	AA7518		
Over guidewire	10ml	40cm	2 + tip	AA7412	AA7414	AA7416	AA7418	AA7420	

#### Folysil X-Tra single pack, with prefilled syringe and empty syringe, for long term use (up to 12 weeks)

• Box of 1 • Sterile.

Type	Balloon	Length	Number of eyes	Ch/Fr					
				12	14	16	18	20	22
X-Tra Straight	10ml	41cm	2	AA8A12	AA8A14	AA8A16	AA8A18	AA8A20	AA8A22
X-Tra Female	10ml	25cm	2	AA8B12	AA8B14	AA8B16	AA8B18		
X-Tra over guidewire	10ml	40cm	2 + tip	AA8C12	AA8C14	AA8C16	AA8C18		

# Catheter Valve

Intended to be connected to an indwelling catheter, to drain the urine\_

• Box of 10 • Sterile.

Order Ref.	CV3808
------------	--------



## 4.5. Catheters without balloon

# Urethral catheters without balloon

• Box of 5 • Sterile.



Couvelaire (Neoplex)

### Straight whistle tip catheters

Type	Material	Length	Eyes	Ch/Fr										
				6	8	10	12	14	16	18	20	22	24	26
Couvelaire	Neoplex	40cm	2	AD5D06	AD5D08	AD5D10	AD5D12	AD5D14	AD5D16	AD5D18	AD5D20	AD5D22	AD5D24	AD5D26



Mercier

### Coude tip catheters

Type	Material	Length	Eyes	Ch/Fr										
				6	8	10	12	14	16	18	20	22	24	26
Mercier	Neoplex	40cm	2	ADN306	ADN308	ADN310	ADN312	ADN314	ADN316	ADN318	ADN320	ADN322	ADN324	ADN326

# Prostatic Catheters tip terminology



## Dufour tip

Coudé whistle tip



## Delinotte tip

Coudé cylindrical tip



## Couvelaire tip

Straight whistle tip.



## Straight tip



# Surgery



# SURGERY

## Surgery

- |                         |    |
|-------------------------|----|
| 1. Laparoscopic surgery | 71 |
| 2. Surgical drainage    | 72 |

# Elefant®

## Disposable suction-irrigation device for laparoscopy\_



- Single use cannula:
- Ergonomic and lightweight.
- Yankauer-type tip (6 distal holes).
- "E" fiberglass (non-conductive).

Elefant, without tubing • Box of 10			
Cannula diameter	5mm	10mm	5mm
Cannula length	35cm	35cm	45cm
Order Ref.	ASP145	ASP150	ASP180*

\* For robotic surgery.

Elefant, with double irrigation line tubing • Box of 5		
Cannula diameter	5mm	5mm
Cannula length	35cm	45cm
Tube diameter	ext. 9.5mm int. 6.4mm	ext. 9.5mm int. 6.4mm
Order Ref.	ASP190	ASP195*

\* For robotic surgery.



Please contact your Coloplast Territory Manager regarding this product's availability in your market.

1 • LAPAROSCOPIC SURGERY

Non-traumatic and  
"E" fiberglass  
cannula

Yankauer tip



**Elefant cannula made of non-conductive fiberglass, unlike conventional irrigation devices made of stainless steel**

Elefant, with PVC tubing • Box of 5			
Cannula diameter	5mm	10mm	5mm
Cannula length	35cm	35cm	45cm
Tube diameter	ext. 9.5mm int 6.4mm	ext. 9.5mm int 6.4mm	ext. 9.5mm int 6.4mm
Tube length	3m	3m	3m
Order Ref.	ASP165	ASP170	ASP185*

\* For robotic surgery.



Elefant, with marked cannula Box of 5	
5mm	5mm
35cm	45cm
ext. 9.5mm int 6.4mm	ext. 9.5mm int 6.4mm
3m	3m
ASP265	ASP285*

\* For robotic surgery.

# Suction drainage

• Ch/Fr 9-24: **box of 10** • Ch/Fr 27-36: **box of 5** • Sterile.

Multiperforated tubular drains • Material: Silicone • Length: 50cm										
Ch/Fr	9	12	15	18	21	24	27	30	33	36
Order Ref.	GB6009	GB6012	GB6015	GB6018	GB6021	GB6024	GB6027	GB6030	GB6033	GB6036

Radiopaque line.

Ch/Fr 9-24: box of 10 • Ch/Fr 27-36: box of 5.




## 2 • SURGICAL DRAINAGE

# Simple drainage

- GA1035, GA1245, GA62xx, GA69xx Ch/Fr 8 to 25: **box of 10** • GA6106, GA69xx Ch/Fr 30 to 35: **box of 5** • Sterile.

Tubular drains • Material: Silicone • Length: 30cm											
Ch/Fr	8	10	12	14	16	18	20	22	25	30	
Order Ref.	GA6208	GA6210	GA6212	GA6214	GA6216	GA6218	GA6220	GA6222	GA6225	GA6230	
Ch/Fr	35	40									
Order Ref.	GA6235	GA6240									

Radiopaque line.




Tubular drains • Material: Silicone • Length: 50cm										
Ch/Fr	8	10	12	14	16	18	20	25	30	35
Order Ref.	GA6908	GA6910	GA6912	GA6914	GA6916	GA6918	GA6920	GA6925	GA6930	GA6935



Multitubular drain • Material: Radiopaque Silicone • Length: 40cm	
Width (mm)	35
Order Ref.	GA1035

Multitubular drain • Material: Silicone • Length: 40cm	
Width (mm)	45
Order Ref.	GA1245



Delbet drains • Material: Silicone • Length: 36cm	
Width (cm)	6
Order Ref.	GA6106

Box of 5. Radiopaque

# Biliary drainage

- Box of 5 • Sterile.




Transcystic drains • Material: PVC • Length: 41.5cm			
Bulb Ø Ch/Fr	7	8	10
Tube Ø Ch/Fr	5	6	8
Order Ref.	GD4105	GD4106	GD4108

Pedinielli drains with malleable stylet, whistle tip, 2 eyes.  
Radiopaque line.



Transcystic drains • Material: PVC • Length: 154cm				
Bulb Ø Ch/Fr	7	8	10	12
Tube Ø Ch/Fr	5	6	8	10
Order Ref.	GD4205	GD4206	GD4208	GD4210

Escat drains, whistle tip, 2 eyes, with 3-way stopcock.  
Radiopaque line.



Cœliodrain® • Material: Radiopaque Neoplex • Length: approximately 64cm	
Ch/Fr	5
Order Ref.	GD4605

For cholangiography with malleable stylet and whistle tip.



# Men's Health



## MEN'S HEALTH

### Men's health

- |                              |    |
|------------------------------|----|
| 1. Erectile Dysfunction (ED) | 78 |
| 2. Male Urinary Incontinence | 82 |

# Titan® Touch

## Inflatable penile implant

3-pieces inflatable penile implant with hydrophilic coating and deflate button pump design.

- The Bioflex® material of the cylinders allows for unmatched cylinder strength and rigidity.
- Titan HydroVANTAGE™ hydrophilic coating is on all device components, including rear tip extenders and connectors. Physicians have the ability to choose the aqueous solution dip, tailored to the clinical needs of their patients.
- Zero Degree angle proximal base input tubing for ease of surgical placement.
- Reduced risk of auto-inflation with Lock-out™ valve on the reservoir.
- Soft molded tip designed for suitable anatomic positioning.
- Individually packaged • Sterile.



# Titan® Touch

Penile prosthesis

Length (cm)	14	16	18	20	22	24
Order Ref. / Infrapubic	ES2814	ES2816	ES2818	ES2820	ES2822	ES2824
Order Ref. / Penoscrotal	ES2914	ES2916	ES2918	ES2920	ES2922	ES2924

# Titan® Touch Narrow Base

## For narrow corpora cavernosa

Penile prosthesis

Length (cm)	11	14	16	18
Order Ref. / Infrapubic	EN2811	EN2814	EN2816	EN2818
Order Ref. / Penoscrotal	EN2911	EN2914	EN2916	EN2918




1 • ERECTILE DYSFUNCTION

# Titan® Cloverleaf Reservoir

With Lock-out anti-reflux valve.

Reservoir contents	75 cc	125 cc
Order Ref.	ER8075	ER8125



# True-Lock® Plug

The True-Lock polysulfone plug and sleeve are utilized to close unused tubing on a portion of the TitanR IPP, where deemed appropriate.

Order Ref.	517970
------------	--------



# Assembly kits

Standard assembly kit.

Order Ref. / Standard	519150
-----------------------	--------

**Contains**

- Connector tool (1) to compress connector sleeves
- True-Lock® Connectors (connector sleeve (8), connector handle (2), connector cage (4))
- Keith needle (2)
- Pusher protector (1), for corporotomy closure and proximal insertion
- Barbed syringe tip (3), to fill the device
- Flexible tip needle (2), pink syringe tip to remove air from silicone tubing
- Silicone tubing (6)



Rear tip extenders kit.

Order Ref. / Standard	519310
Order Ref. / Narrow Base	519300

To be used with the standard assembly kit.



# XL Cylinder Set

Cylinders	26cm	28cm
Order Ref.	E17926	E17928

Pump to be connected.



# Pumps

Pumps	Titan Pump	Titan Touch Pump
Order Ref.	517770	517750

Titan Touch Pump




# Genesis®

## Malleable penile implant

Malleable penile implant with hydrophilic coating.

- **Kit includes:**
  - One pair of cylinders.
  - 3 pairs of caps (standard, +0.5cm and +1cm).
- Hydrophilic coating.
- **Individually packaged (pairs)** • Sterile.



Diameter	Length cm		Order Ref.	
	mm	Min.		Max.
9.5		14	23	519250
11		16	25	519260
13		18	27	519270



1 • ERECTILE DYSFUNCTION

# Ancillaries for penile prostheses

## Hooks & dilators\_

### Furlow

Non sterile.

Order Ref. QB5555

- Furlow insertion tool



### Brooks

Non sterile.

- Brooks dilator



	Ø						
Order Ref. QB9350	8mm	9mm	10mm	11mm	12mm	13mm	14mm

### Rosselló Dilators

Non sterile.

Order Ref. QB5558



### Retractor System without Frame

Sterile - Single use.

Order Ref. QB3321

- 6 - Retractor Stays, 12mm Blunt
- 1 - Retractor Stay, 5mm Sharp
- 1 - Penile Elevation Strap
- 2 - Disposable deavers
- 2 - Retractor Stays, 20mm 3-finger Rake



### Galaxy II Surgical Retractor

Sterile - Single use.

- Male kit

Order Ref. 000PJUNEGX-2020

- 6 - 12 mm blunt stays
- 1 - 5mm sharp stay
- 2 - 3 finger claw
- 2 - 7mm double hook sharp
- 1 - penile hammock
- 1 - snowman retractor frame
- 1 - catheter clip
- 1 - light/lux clip

# Virtue<sup>®</sup> male sling

## 4-arm male sling for male stress urinary incontinence\_

- Knitted monofilament polypropylene.
- Bidirectional compression and elevation of the bulbous urethra with 2 transobturator arms and 2 prepubic arms.
- **Individually packaged** • Sterile.



Order Ref.	Description	Sling dimensions
50020	Virtue: 1 sling, 1 single use introducer	46 x 31cm



# Women's Health



## WOMEN'S HEALTH

### Women's Health

- |    |                                   |    |
|----|-----------------------------------|----|
| 1. | Stress Urinary Incontinence (SUI) | 86 |
| 2. | Pelvic Organ Prolapse (POP)       | 88 |

# Altis<sup>®</sup>

## Single Incision Sling System

The Altis Single Incision Sling System is indicated for the treatment of female stress urinary incontinence (SUI) resulting from urethral hypermobility and/or intrinsic sphincter deficiency (ISD). It is an implantable, synthetic, knitted, macroporous, low-elasticity, monofilament polypropylene, single incision midurethral sling.



Order Ref.	Description	Mesh size	
519650	Altis <sup>®</sup> single incision sling system	7.75cm long	1.1cm wide




## 1 • STRESS URINARY INCONTINENCE

# Aris<sup>®</sup>

## Transobturator Kit

A midurethral sling made from synthetic, knitted, low-elasticity monofilament polypropylene intended to be placed via the transobturator approach. The Aris sling is designed to support the urethra in the surgical treatment of female stress urinary incontinence. Aris Introducers are surgical instruments designed to facilitate the correct placement of the Aris Transobturator Sling.




Order Ref.	Description	Mesh size
UR3105	Aris <sup>®</sup> Transobturator kit Contents: 1 sling and 3 introducers	60 x 1.1cm
UR3101	1 Aris <sup>®</sup> Transobturator sling	60 x 1.1cm

# Restorelle® Mesh


Restorelle mesh is a synthetic, macroporous mesh constructed of medical grade knitted, monofilament polypropylene. Restorelle L, XL and Y mesh are implanted transabdominally through an open abdominal, laparoscopic, or robot- assisted surgical approach.

Restorelle L (24cm x 8cm) and Restorelle XL (30cm x 30cm) are intended to provide anatomical support and suspension of the vaginal apex or uterine cervix or uterine isthmus, with or without uterus preservation (sacrocolpopexy/sacrocervicopexy or sacrohysteropexy).



## Restorelle Y

Order Ref.	Description	Size	Tail size
501420	Restorelle® Y	24 x 4cm	12cm
501430	Restorelle® Y	27 x 4cm	15cm



## Flat Mesh

Order Ref.	Description	Dimensions
501440	Restorelle® L	24 x 8cm
501330	Restorelle® XL	30 x 30cm



# Guarantee and conditions of use

## Coloplast A/S - Guarantee and conditions of use

Without prejudice to your legal guarantee against all the consequences of defects or hidden defects, our commercial guarantee shall apply under the following conditions:

The duration of the normal guarantee of the products against defects in manufacturing workmanship and against defects in materials shall be a maximum of three months from the date of delivery (the "Warranty Period"), with the onus being on the Purchaser to prove the said defects.

Coloplast's guarantee shall be strictly limited to the products supplied and shall have as its sole effect the repair or replacement at the Company's expense and in its workshops of all those products rendered unusable as a result of defects. This is subject to Coloplast receiving written notice of the defect within 10 days from the date the defect was or should have been discovered by the Purchaser, within the Warranty Period. The return of the products must be done within the deadline communicated by Coloplast. Any return not respecting these conditions, cannot be the subject of an exchange. Products returned and replaced free of charge shall remain the property of the Company.

The guarantee shall not apply to replacements or repairs resulting from normal wear and tear of the products, to deterioration or accidents due to negligence, to any failure to respect the handling, transportation, storage or sterilization conditions, or to any failure to monitor, maintain or use the products correctly. EXCEPT AS STATED IN THIS GUARANTEE, THERE ARE NO OTHER EXPRESS, IMPLIED OR STATUTORY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

This guarantee shall not extend to any consequential or any other loss or indirect damage that may result from using a Coloplast product that has a manufacturing or material defect, whether for breach of any guarantee or warranty, for breach of any other term, or for ordinary negligence, unless it is shown from the circumstances of the defect that Coloplast has been guilty of gross negligence. The provisions of the United Nations Convention on the International Sale of Goods are expressly excluded from any purchase or sales contract of Coloplast products. Except as set forth in this paragraph, no compensation shall be payable by way of damages for any reason whatsoever. The storage conditions of the products shall be the sole responsibility of the Purchaser. We recommend that the products be stored in their original packaging with this packaging intact, away from light in a dry place, and at an ambient temperature.

The fact that a product is mentioned in this catalogue does not necessarily mean that it can be supplied. Committed to continually improving product quality, Coloplast reserves the right to make changes at any time, without notice, to its products, their specifications, packaging and presence in its range.


Contact your local representative for availability of the products in your country.

The purchase or use of our products implies acceptance of the general conditions of sale set out in the price list.


# Terminology




Proximal end




Whistle tip




Distal tip




Straight cylindrical tip



Solid tip




Coudé tip



Hollow tip



Straight olive tip



Open tip



Coudé olive tip

Instrument gauges • The catheter gauges are:  
 CHARRIERE: abbreviation «Ch/Fr» = 1/3mm  
 MILLIMETER: abbreviation «mm» = 1mm  
 GAUGE: abbreviation G. Gauge 14 = 1,63mm  
 INCH: abbreviation " = 25,4mm

# Material used

Coloplast uses various types of raw materials, depending on the various diagnostic or therapeutic indications for its devices. The biocompatibility of the medical devices is in accordance to EN ISO 10993-1: 2020 Standard.

Before being used in manufacturing, raw materials are controlled in our laboratories batch by batch, using the control methods defined by our internal procedure.

All materials and components used by Coloplast are controlled and used in accordance with procedures and the requirements of standard EN ISO 13485: 2016.

The manufacturing processes depend on the material and include extrusion, injection or compression-molding, assembly and soaking.

We use two main types of material:

- Silicones
- Thermoplastics: Vortek®, Biosoft®, Neoplex, Polyamide, PVC and Polyurethane.

**SILICONE:** this is a flexible material with optimum biocompatibility. Silicone comes in different degrees of rigidity; it may be transparent, may contain radiopaque lines and may be opaque to X-rays.

After use, it degrades only to silica (sand) and water, with no chlorine or carbon derivatives. It is very stable over time.

**VORTEK:** An original formulation designed by Coloplast. The material is biocompatible; it comes in different degrees of rigidity and is opaque to X-rays. Mastery of the co-extrusion of this material has made it possible to produce dual-hardness JJs which are rigid in contact with a guide wire to facilitate glide and assembly, while having a flexible exterior for patient comfort.

**BIOSOFT:** a flexible biocompatible polymer which is particularly well tolerated by patients.

**NEOPLEX:** a specific formulation developed by Coloplast based on PVC and plasticizer.

**POLYAMIDE (PA):** particularly rigid material suitable for accessories such as funnels, tips, sheaths, etc.

**PROLYPROPYLENE (PP):** is a synthetic material made of macromolecules. It is low density and exhibits excellent mechanical properties over time, with a high level of chemical inertness and biocompatibility.

**POLYVINYLCHLORIDE (PVC):** a transparent polymer which may contain radiopaque lines and/or pigments.

It has been used for many years for the manufacture of various medical devices.

**POLYURETHANE (PU):** a material which does not contain plasticizer and which is very resistant, and with different range of elasticity available.



# Numerical index

## AA

AA8A	65
AA8B	65
AA8C	65
AA61	64, 65
AA63	64, 65
AA64	64, 65
AA65	64
AA66	64
AA71	65
AA74	65
AA75	65
AA93	64
AB6A	61
AB6B	61
AB6C	61
AB6E	61
AB6G	59
AB6H	59
AB6J	61
AB6R	56

## AB

AB6S	56
AB60	59
AB61	58
AB62	57
AB63	56
AB64	56
AB65	58

## AC

AC4B	31
AC4D	31
AC4E	31
AC5C	44
AC41	53
AC42	31
AC43	31
AC44	37
AC45	31
AC46	31
AC47	53

AC50	42
AC51	42
AC52	42
AC53	42
AC54	42
AC55	42
AC59	44
AC67	53
AC68	53
AC70	53
ACA1	37
ACA2	37
ACB1	25
ACB2	25
ACB3	25
ACB4	25
ACB5	24
ACB6	24
ACB7	35
ACB8	35
ACB9	26
ACBC	24
ACBG	24
ACBH	31
ACBM	25
ACBS	25
ACN6	42
ACP2	43
ACP3	43
ACP4	43
ACP6	43
ACR2	44
ACXL	20

## AD

AD5D	66
ADN3	66

## AE

AE00	40
AE0A	40
AE0C	40, 47
AE0D	40

AE0E	40
AE0N	39
AE0P	39
AE0T	39
AE0X	39
AE04	41, 47
AE05	41, 47
AE11	40, 47
AEAD	39
AEHA	38
AEJ4	41, 47
AEJ5	41, 47

## AG

AG53	63
------	----

## AJ

AJ4A	22
AJ4C	22
AJ4U	35
AJ4W	33
AJ4Y	34
AJ41	22
AJ42	22
AJ45	22
AJ47	22
AJ48	22
AJ50	22
AJ66	49
AJ67	49
AJ92	52

## AK

AK20	54
AK30	55
AK31	55
AK32	55
AK33	55
AK34	55
AK53	55

## AL

AL00	60
ALXL	20

## AS

ASP1	70, 71
ASP2	71
ASXL	20

## AW

AW61	64
AW63	64

## AX

AXXL	20
------	----

## BB

BBIO	63
------	----

## BC

BCAA	28
BCAB	28
BCAD	28
BCAE	28
BCAG	28
BCAJ	28
BCAM	28
BCAN	28
BCAS	28
BCCG	36
BCCS	36
BCFA	27
BCFG	27
BCFJ	27
BCFM	27
BCFP	27
BCFS	27
BCGA	29
BCGG	29
BCGS	29
BCHA	23
BCHG	23
BCHJ	23
BCHS	23

<b>BJ</b>		<b>P</b>		<b>000</b>	
BJ30 .....	53	PB01 .....	54	000P1B .....	14
<b>BN</b>		PB02 .....	54	000P1C .....	13
BNBA .....	32	PB12 .....	54	000P1S .....	14
BNBB .....	32	<b>Q</b>		000P1U .....	12
BNBJ .....	32	QB33 .....	81	000PAB .....	62
BNBK .....	32	QB55 .....	81	000PCP .....	11
BNFA .....	27	QB93 .....	81	000PFL .....	11
BNFG .....	27	<b>RA</b>		000PFS .....	11
BNGA .....	29	RAC01 .....	48	000PJU .....	81
BNNA .....	28	RAC02 .....	48	000PKB .....	21
<b>CD</b>		<b>RB</b>		000PKE .....	11
CD1A .....	51	RBA0 .....	48	<b>Others</b>	
CD1B .....	51	RBC0 .....	48	5002 .....	82
CD1C .....	51	RBD0 .....	45	5013 .....	88
CD10 .....	51	<b>RC</b>		5014 .....	88
CD11 .....	51	RCJ0 .....	49	5177 .....	79
CD12 .....	51	<b>RE</b>		5179 .....	79
<b>CP</b>		REA0 .....	49	5191 .....	79
CP18 .....	54	<b>RJ</b>		5192 .....	80
<b>CV</b>		RJA0 .....	46	5193 .....	79
CV38 .....	66	RJA1 .....	46	5196 .....	86
<b>D</b>		RJB0 .....	46	9471 .....	79
DOG1 .....	19	RJB1 .....	46		
DOG2 .....	19	RJE1 .....	50		
<b>EN</b>		<b>T</b>			
EN28 .....	78	TFLD01 .....	11		
EN29 .....	78	<b>U</b>			
<b>ER</b>		UR31 .....	87		
ER80 .....	79	<b>X</b>			
ER81 .....	79	XB6L .....	56		
<b>ES</b>		XB6M .....	58		
ES28 .....	78	XB6N .....	57		
ES29 .....	78	XB61 .....	58		
<b>EX</b>		XB62 .....	57		
EXN4 .....	18	XB63 .....	56		
EXN7 .....	18				
EXN9 .....	18				
EXP4 .....	17				
EXT2 .....	18				
EXT4 .....	18				
EXT6 .....	18				
<b>F</b>					
FSI0 .....	11				
FSI1 .....	11				
FSI2 .....	11				
FSI3 .....	11				
FSI5 .....	11				
FSI8 .....	11				
FSV0 .....	11				
FSV2 .....	11				
FSV3 .....	11				
FSV5 .....	11				
FSV8 .....	11				
FSX0 .....	11				
FSX2 .....	11				
FSX3 .....	11				
FSX5 .....	11				
FSX8 .....	11				
<b>GA</b>					
GA10 .....	73				
GA12 .....	73				
GA61 .....	73				
GA62 .....	73				
GA69 .....	73				
<b>GB</b>					
GB60 .....	72				
<b>GD</b>					
GD41 .....	74				
GD42 .....	74				
GD46 .....	74				
<b>N</b>					
NBIO .....	63				

# Alphabetical index

## A

ABVac .....	60
Altis.....	86
Ancillaries for penile prostheses .....	81
Aris .....	87
Assembly kits .....	79

## B

Balloon catheters in silicone .....	49
Biliary drainage .....	74
Biosoft duo - Double loop ureteral stents .....	28
Biosoft duo - Multi-length hydro-coated Double loop ureteral stents .....	29
BoNee .....	63
Bougies .....	63
BubbleView - Single-Use .....	13

## C

Catheters.....	61
Catheter Valve .....	66
Chevassu .....	44
Coloplast TFL Drive.....	10-11
Connection .....	49
Connectors and spigot .....	54-55
CoralView - Single-Use.....	12
Couvelaire tip .....	58
Cystodrain integral Set .....	51

## D

Delinotte tip.....	57
Dilators.....	48
Double loop ureteral stents - For pyeloplasty.....	34
Double loop ureteral stents - For ureteral stenosis .....	33
Double loop ureteral stents - Without eyes on the straight section .....	35
Dormia® DualPerc.....	16-17
Dormia® Front .....	19
Dormia® N.stone® .....	18
Dormia® No-Tip .....	18
Drainage catheters .....	42
Dufour tip .....	56

## E

Elefant .....	70-71
---------------	-------

## F

Floppy tip.....	44
Foley catheters.....	64-65
Freudenberg Stylet .....	60

## G

Genesis.....	80
Guidewires.....	47

## H

Hooks & dilators.....	81
Hydrophilic Nitinol guidewires .....	39

## I

Imajin .....	22
Imajin hydro-coated.....	23
Interventional catheters - Floppy tip hydro-coated ureteric catheter, Chevassu catheters for Retrograde UreteroPyelography (RUP) .....	44
Interventional catheters - These catheters are suitable for use with a guidewire during endoscopic procedures..	43

## J

J catheters .....	49
-------------------	----

## K

Kolibri set with J catheter .....	45
K-Box .....	21

## L

Lunderquist.....	41
------------------	----

## N

Needles .....	48
---------------	----

<b>P</b>		<b>V</b>	
Philips connectable bougies . . . . .	62	ViewHub S13-T . . . . .	14
Polyamide & Polyurethane		Virtue male sling . . . . .	82
double loop ureteral stent sets . . . . .	32	Vortek - Double loop ureteral stents . . . . .	24-26
Prostatic Catheters tip terminology . . . . .	67	Vortek hydro-coated . . . . .	27
PTFE-coated guidewires . . . . .	40	Vortek Single loop ureteral stents . . . . .	37
Pumps . . . . .	79	Vortek Tumor stents . . . . .	36
PU-R, PU-S . . . . .	31	<b>X</b>	
<b>R</b>		XL Cylinder Set . . . . .	79
Radifocus™ . . . . .	39		
Restorelle . . . . .	88		
ReTrace . . . . .	20		
<b>S</b>			
Seldinger guidewires . . . . .	40		
Set with J catheter . . . . .	50		
Schüller . . . . .	41		
Simple drainage . . . . .	73		
Soprano® . . . . .	38		
Straight tip . . . . .	59		
Stainless steel guidewires . . . . .	41		
Suction drainage . . . . .	72		
Supraflow . . . . .	52		
<b>T</b>			
Terumo guidewires . . . . .	39		
Titan Cloverleaf Reservoir . . . . .	79		
Titan Touch . . . . .	78		
Titan Touch Narrow Base . . . . .	78		
True-Lock® Plug . . . . .	79		
<b>U</b>			
Urethral catheters without balloon . . . . .	66		
Ureteral dilators . . . . .	45		
Urinary diversion . . . . .	53		

---

## Our mission

Making life easier for people with intimate healthcare needs

[Ostomy Care](#) | [Continence Care](#) | [Advanced Wound Care](#) | [Interventional Urology](#) | [Voice and Respiratory Care](#)

Coloplast and the Coloplast logo are trademarks of Coloplast A/S.  
[www.coloplast.com](http://www.coloplast.com) © 2026 Coloplast A/S. All rights reserved. PM-42104.

